Canadian-Climate Impacts and Adaptation Research Network – Fisheries Node: A Bibliography of Pacific Climate Change and Fisheries Research Compiled from 2002-2005

J. Wade, J. Byington, M.M. Stockwell, K.L. Hunter, and K.D. Hyatt

Pacific Biological Station
Fisheries and Oceans Canada
Science Branch, Pacific Region
3190 Hammond Bay Road
Nanaimo, BC V9T 6N7

2014

Canadian Manuscript Report of Fisheries and Aquatic Sciences 3050

Fisheries and Oceans | Pêches et Océans

Canada

Canadian Manuscript Report of Fisheries and Aquatic Sciences

Manuscript reports contain scientific and technical information that contributes to existing knowledge but which deals with national or regional problems. Distribution is restricted to institutions or individuals located in particular regions of Canada. However, no restriction is placed on subject matter, and the series reflects the broad interests and policies of Fisheries and Oceans Canada namely, fisheries and aquatic sciences.

Manuscript reports may be cited as full publications. The correct citation appears above the abstract of each report. Each report is abstracted in the database *Aquatic Sciences and Fisheries Abstracts*.

Manuscript reports are produced regionally but are numbered nationally. Requests for individual reports will be filled by the issuing establishment listed on the front cover and title page.

Numbers 1-900 in this series were issued as Manuscript Reports (Biological Series) of the Biological Board of Canada, and subsequent to 1937 when the name of the Board was changed by the Act of Parliament, as Manuscript Reports (Biological Series) of the Fisheries Research Board of Canada. Numbers 1426-1550 were issued as Department of Fisheries and Environment, Fisheries and Marine Service Manuscript Reports. The current series name was changed with report number 1551.

Rapport manuscrit canadien des sciences halieutiques et aquatiques

Les rapports manuscrits contiennent des renseignments scientifiques et techniques qui constituent une contribution aux connaissances actuelles, mais qui traitent de problèmes nationaux ou régionaux. La distribution en est limitée aux organisms et aux personnes de régions particulières du Canada. Il n'y a aucune restriction quant au sujet; de fait, la série reflète la vaste gamme des intérêts et des politiques de Pêches et Oceans Canada, c'est-à-dire les sciences halieutiques et aquatiques.

Les rapports manuscrits peuvent être cités comme des publications à part entière. Le titre exact figure au-dessus du résumé de chaque rapport. Les rapports manuscrits sont résumés dans la base de données *Resumes de sciences aquatiques et halieutiques*.

Les rapports manuscrits sont produits à l'échelon régional, mais numérotés à l'échelon national. Les demandes de rapports seront satisfaites par l'établissement auteur dont le nom figure sur la couverture et la page du titre.

Les numéros 1 à 900 de cette série ont été publiés à titre de Manuscrits (série biologique) de l'Office de biologie du Canada, et après le changement de la designation de cet organisme par décret du Parlement, en 1937, ont été classes comme Manuscrits (série biologique) de l'Office des recherches sur les pêcheries du Canada. Les numéros 901 à 1425 ont été publiés à titre de Rapports manuscrits de l'Office de recherches sur les pêcheries du Canada. Les numéros 1429 à 1550 sont parus à titre de Rapports manuscrits du Service des pêches et de la mer, ministère des Pêches et de l'Environnement. Le nom actuel de la série a été établis lors de la parution du numéro 1551.

Canadian Manuscript Report of

Fisheries and Aquatic Sciences 3050

2014

CANADIAN-CLIMATE IMPACTS AND ADAPTION RESEARCH NETWORK – FISHERIES NODE: A BIBLIOGRAPHY OF PACIFIC CLIMATE CHANGE AND FISHERIES RESEARCH COMPILED FROM 2002-2005

by

J. Wade[1], J. Byington[2], M.M. Stockwell[3], K.L. Hunter[3], K.D. Hyatt[3]

Pacific Biological Station
Fisheries and Oceans Canada
Science Branch, Pacific Region
3190 Hammond Bay Road
Nanaimo, BC
V9T 6N7

[1] Fundy Aqua Services Inc., 1859 Delanice Way, Nanoose Bay, BC V9P 9B3

[2] Marine Planning Partnership for the North Pacific Coast, #102, 1122 McKenzie Street, Victoria, BC V8V 2W2

[3] Pacific Biological Station, Fisheries and Oceans Canada, 3190 Hammond Bay Road, Nanaimo BC, V9T 6N7

©Her Majesty the Queen in Right of Canada, 2014

Cat. No. Fs97-4/3050E ISBN 978-1-100-25374-9 ISSN 1488-5387

Cat. No. Fs97-4/3050E-PDF ISBN 978-1-100-25375-6

Correct citation for this publication:

Wade, J., Byington, J., Stockwell, M.M., Hunter, K.L., and Hyatt, K.D. 2014. Canadian-Climate Impacts and Adaptation Research Network – Fisheries Node: A bibliography of Pacific climate change and fisheries research compiled from 2002-2005.Can. Manuscr. Rep. Fish. Aquat. Sci. 3050: iii + 47p.

ABSTRACT

Wade, J., Byington, J., Stockwell, M.M., Hunter, K.L., and Hyatt, K.D. 2014. Canadian-Climate Impacts and Adaptation Research Network – Fisheries Node: A bibliography of Pacific climate change and fisheries research compiled from 2002-2005.Can. Manuscr. Rep. Fish. Aquat. Sci. 3050: iii + 47p.

As a part of the activities of the Canadian Climate Impacts and Adaptation Research Network (C-CIARN) funded by a Natural Resources Canada in the early 2000s, a climate change and adaptation library was created by the C-CIARN Fisheries Node located at Fisheries and Oceans Canada, Nanaimo, BC. Bibliographic information relating to climate change and fisheries was collected by C-CIARN funded staff from 2002 to 2005 and stored in a Microsoft Access database. From over 8000 entries, we sorted the database by records relevant to the Pacific coast of Canada and British Columbia. We present the resulting bibliography in two parts: primary publications and technical reports and, other documents.

RÉSUMÉ

Wade, J., Byington, J., Stockwell, M.M., Hunter, K.L., and Hyatt, K.D. 2014. Canadian-Climate Impacts and Adaptation Research Network – Fisheries Node: A bibliography of Pacific climate change and fisheries research compiled from 2002-2005.Can. Manuscr. Rep. Fish. Aquat. Sci. 3050: iii + 47p.

Dans le cadre des activités du Réseau canadien de recherche sur les impacts climatiques et l'adaptation (C-CIARN) financées par Ressources naturelles Canada au début des années 2000, une bibliothèque sur les changements climatiques et l'adaptation a été créée par le nœud relatif aux pêches du C-CIARN qui est situé au sein de Pêches et Océans Canada, à Nanaimo (Colombie-Britannique). Les renseignements bibliographiques concernant le changement climatique et les pêches ont été recueillis de 2002 à 2005 par le personnel du C-CIARN visé par le financement en question, et ils ont été entreposés dans une base de données Microsoft ACCESS. À partir de plus de 8000 entrées, nous avons classé les données en fonction des dossiers ayant trait à la côte canadienne du Pacifique et à la Colombie-Britannique. Nous présentons en deux parties la bibliographie qui découle de ce travail : publications primaires et livres et rapports techniques; comptes rendus de conférences et d'ateliers, et thèses.

INTRODUCTION

The Climate Change Impacts and Adaptation Program was a Natural Resources Canada (NRCAN) program in the late 1990s to mid-2000s. It grew out of the federal government's Climate Change Action Fund set up in 1998. The objective of CCIAP was to improve the knowledge of Canada's vulnerability to climate change in order to assist decision makers on adaptation and to better assess the risks posed by climate change. As a part of this program, NRCAN funded the Canadian Climate Impacts and Adaptation Research Network (C-CIARN) for 6 years at a total cost of $8.3 million. The goal of C-CIARN was to help coordinate researchers and stakeholders by providing a central contact point for climate impact and adaptation research information. There were six regional (BC, Prairies, Ontario, Quebec, Atlantic and, North) and seven sectoral (Health, Landscape hazards, Coastal zone, Fisheries, Forests, Water and, Agriculture) nodes. Each node was tasked with activities related to the communication of climate impacts and adaptation which included the maintenance and sharing of data on research and research findings. The sectoral node for Fisheries was located at the Pacific Biological Station in Nanaimo, BC.

In response to this mandate, between 2002 and 2005, bibliographic information was collected by staff at the Fisheries node and placed in a data repository in Microsoft Access. From here it could be retrieved for researchers upon request. From this data repository, bibliographic information pertaining to the Pacific region has been collated and presented here.

METHODS

The data repository was populated with information derived from daily general internet searches by staff at the Fisheries Node of C-CIARN. For one hour a day, from 2002 to 2005, these data were entered into Microsoft Access as well as a hard copy printed and held in the office for use by local researchers upon request. Because this activity was not performed as a stand-alone project, there exists little meta-data documentation. However the primary staff member who performed the searches and populated the database has confirmed search terms and general methodologies.

The open web, Google Scholar and WAVES[1] were used to search climate related terms which included but were not limited to: "climate change", "climate change Canada", "Arctic", "fisheries", "freshwater", " saltwater", "fish", "oceans", "marine mammal" and combinations of these search terms. Embedded links within documents and web-pages were followed when a suitable article was found. Types of materials searched included webpages, government webpages (Federal, Provincial, departmental), academic webpages, and online grey and primary literature.

In addition to the active open web search, researchers within the National C-CIARN network were asked to provide any references pertaining to climate and climate changes and adaptations, with particular emphasis on fisheries in Canada.

[1] WAVES is the DFO library online catalogue and primary reference search engine.

The bibliographic reference fields which were populated in Microsoft ACCESS included: "Authors_All", "Year Published", "Title", "Author Contact", "Organization", "Format", "Publisher_Journal", "Website", "Geographic_Extent", "Summary_ Abstract" and "Keywords".

In creating this bibliography, all records were downloaded from Microsoft Access to Microsoft Excel. Records were sorted according to "Geographic_Extent" and those not pertaining to British Columbia or environs were eliminated. Because the entries under "Geographic_Extent" were not necessarily consistent different key words were used to screen in entries. For example, many entries had multiple areas listed under "Geographic_Extent" such as "Eastern Bering Sea, Gulf of Alaska, Arctic, Pacific" or "Alberta, Saskatchewan, British Columbia, boreal, inland, North". Entries with these descriptors would be kept in because of the word "Pacific" in the first example and "British Columbia" in the second. Generally speaking, any entries which contained the following words, or combinations thereof, under "Geographic_Extent" were kept in: "Alaska" "Pacific Ocean", "British Columbia", "Eastern Pacific Ocean", "Pacific Ocean British Columbia", "California Current ecosystem", "Pacific Northwest, Washington". Because of continuous waters, coastal references to "Alaska" and "Pacific Northwest, Washington" were not eliminated. Locations which were undoubtedly from British Columbia but did not specifically say so were included as well, for example "Cheakamus River" and "West Coast Vancouver Island".

From this extensive list, the authors reviewed each entry and determined whether or not they were to be included in the final bibliography based on their climate change related relevance.

RESULTS

The entire Microsoft ACCESS database consisted of 8805 individual entries. These entries were categorized under "Geographic_Extent" as being from all regions of Canada and many countries, continents and regions of the world; Antarctic, Asia, Spain, Bay of Fundy, Russia, Brazil, USA and Britain to name a few.

These 8805 entries included but are not exclusive to: primary scientific publications, grey literature, proceedings, presentations, book chapters, webpages, theses and fact sheets. Once the 8805 entries were sorted according to geography as described previously, there were 924 entries remaining. A further refinement of the bibliographic list by the authors has resulted in the 532 entries presented in Appendix 1.

ACKNOWLEDGEMENTS

The authors wish to acknowledge the original funding provided by Natural Resources Canada in support of the Canadian-Climate Impacts and Adaptation Research Network. The authors also wish to acknowledge and thank the Department of Fisheries and Oceans' Aquatic Climate Change and Adaptation Services Program for funding this bibliographic summary.

APPENDIX I

PRIMARY LITERATURE, REPORTS and BOOKS

Abraham, C. L. and Sydeman, W. J. 2004. Ocean climate, euphausiids and auklet nesting: inter-annual trends and variation in phenology, diet and growth of a planktivorous seabird, *Ptychoramphus aleuticus*. Mar. Ecol. Prog. Ser. 274:235-250.

Achord, S., Levin, P.S., and Zabel, R. W. 2003. Density dependent mortality in Pacific salmon: The ghost of impacts past? Ecol. Lett. 6(4): 335-342.

Adkinson, M.D., Peterman, R.M., Lapointe, M.F., Gillis, D.M., and Korman J. 1996. Alternative models of climatic effects on sockeye salmon, *Oncorhynchus nerka*, productivity in Bristol Bay, Alaska, and the Fraser River, British Columbia. Fish. Oceanogr. 5(3/4):137-152.

Alexander, M.A., Timlin, M.S., and Scott, J.D. 2001. Winter-to-winter recurrence of sea surface temperature, salinity and mixed layer depth anomalies. Prog. Oceanogr. 49(1-4):41-61.

Allen, D.M., Mackie, D.C., and Wei, M. 2004. Groundwater and climate change: a sensitivity analysis for the Grand Forks aquifer, southern British Columbia, Canada. Hydrogeology Journal 12: 270-290.

Amadore, L., Bolhofer, W.C., Cruz, R.V., Feir, R.B., Freysinger, C.A., Guill, S., Jalal, K.S., Inglesias, A.S., Jose, A., Leatherman, S., Lenhart, S., Mukherjee, S., Smith, J.B., and Wisniewski, J. 1996. Climate Change Vulnerability and Adaptation in Asia and the Pacific: Workshop Summary. Water, Air Soil Poll. 92:1-12.

Anderson, P.J., and Piatt, J. 1999. Community reorganization in the Gulf of Alaska following ocean climate regime shift. Mar. Ecol. Prog. Ser. 189: 117-123.

Anderson, J.J. 1997. Decadal scale climate pattern and salmon survival: Indicators, interactions and implications. Estuarine and ocean survival of Northeastern Pacific salmon: Proceedings of the workshop. pp. 43-53 in R.L. Emmett and M.H. Schiewe (eds.). U.S. Dep. Commer., NOAA Tech. Memo. NMFS-NWFSC-29.

ANON. 1998. PICES climate change and carrying capacity workshop on the development of cooperative research in coastal regions of the North Pacific. PICES Scientific Report No. 9. 53pp.

Arnell, N.W. 1999. Climate change and global water resources. Global Environ. Chang. 9:S31-S49.

Auad, G., Kennett, J. P., and Miller, A. J. 2003. North Pacific intermediate water response to a modern climate warming shift. J. Geophys. Res. 108(C11), 3349.

Barjaktarovic, L., and Bendell-Young, L.I. 2002. Factors contributing to the salinity of lakes, Riske Creek region, south-central British Columbia, Canada. Appl. Geochem. 17(5): 605-619.

Batchelder, H. P., Barth, J.A., Kosro, P. M., Strub, P. T., Brodeur, R. D.,Peterson, W. T., Tynan, C., Ohman, M. D., Botsford, L. W., Powell, T. M., Schwing, F. B., Ainley, D. G., Mackas, D. L., Hickey, B.M., and Ramp, S. R. 2002. The GLOBEC Northeast Pacific California Current System Program. Oceanography 15(2):36-47.

Batchelder, H. P., and Powell, T. M. 2002. Physical and biological conditions and processes in the northeast Pacific Ocean. Prog. Oceanogr. 53(2-4):105-114.

Batten, S.D., Welch, D.W., and Jonas, T. 2003. Latitudinal differences in the duration of development of *Neocalanus plumchrus* copepodites. Fish. Oceanogr. 12(3):201-203.

Beamish, D., Henderson, M., and Regier, H.A. 1997. The impacts of climate change on the fishes of British Columbia. pp. 12-1 - 12-16 in E. Taylor and B. Taylor (eds.).Canada Country Study: Responding to Global Climate Change in British Columbia and Yukon. Volume I of the Canada Country Study: Climate Impacts and Adaptation. Environment Canada, Vancouver, B.C.

Beamish, R.; Noakes, D.; McFarlane, G.; King, J. 1998. The regime concept and recent changes in Pacific salmon abundance. North Pacific Anadromous Fisheries Commission Technical Report No. 1, pp.1-3.

Beamish, R.J. 1993. Climate and exceptional fish production off the west coast of North America. Can. J. Fish. Aquat. Sci. 50:2270-2291.

Beamish, R.J. 1995. Response of anadromous fish to climate change in the North Pacific. pp. 123-136 in D.L. Peterson, D.R. Johnson (eds.) Human Ecology and Climate Change: People and Resources in the Far North. Washington, DC: Taylor & Francis.

Beamish, R.J., Mahnken, C., and Neville, C.M. 2004. Evidence that reduced early marine growth is associated with lower marine survival of coho salmon. T. Am. Fish. Soc. 133(1): 26–33.

Beamish, R.J., Noakes, D.J., McFarlane, G. A., Pinnix, W., Sweeting, R., and King, J. R. 2000. Trends in coho marine survival in relation to regime concept. Fish. Oceanogr. 9(1): 114-119.

Beamish, R.J., McFarlane, G.A., and King, J. R. 2000. Fisheries climatology: Understanding decadal scale processes that naturally regulate British Columbia fish populations. pp. 94-139 in T. Parsons and P. Harrison (eds.). Fisheries Oceanography: An Integrative Approach to Fisheries Ecology and Management. Blackwell Science Ltd.

Beamish, R.J., McFarlane, G.A., and Thomson, R.E. 199. Recent declines in the recreational catch of coho salmon (*Oncorhynchus kisutch*) in the Strait of Georgia are related to climate. Can. J. Fish. Aquat. Sci. 56: 506-515.

Beamish, R.J., Benson, A.J., Sweeting, R.M., and Neville, C.M. 2004. Regimes and the history of the major fisheries off Canada's west coast. Prog. Oceanogr. 60(2-4):355-385.

Beamish, R.J., and Bouillon, D.R. 1993. Pacific salmon production trends in relation to climate. Can. J. Fish. Aquat. Sci. 50(5):1002-1016.

Beamish, R.J., and Bouillon, D.R. 1995. Marine fish production trends off the Pacific coast of Canada and the United States. pp. 585-591 in R.J. Beamish (ed.) Climate Change and Northern Fish Populations, Can. Spec. Publ. Fish. Aquat. Sci. 121.

Beamish, R.J., and Mahnken, C. 2001. A critical size and period hypothesis to explain natural regulation of salmon abundance and the linkage to climate and climate change. Prog. Oceanogr. 49(1-4):423-437.

Beamish, R.J., Mahnken, C., and Neville, C.M. 1997. Hatchery and wild production of Pacific salmon in relation to large-scale, natural shifts in productivity of the marine environment. ICES J. Mar. Sci. 54(6):1200-1215.

Beamish, R.J., McFarlane, G.A., and Thomson, R.E. 1999. Recent declines in the recreational catch of coho salmon (*Oncorhynchus kisutch*) in the Strait of Georgia are related to climate. Can. J. Fish. Aquat. Sci. 56(3):506-515.

Beamish, R.J., Neville, C.-E.M., and Cass, A.J. 1997. Production of Fraser River sockeye salmon (*Oncorhynchus nerka*) in relation to decadal-scale changes in the climate and the ocean. Can. J. Fish. Aquat. Sci. 54(3):543-554.

Beamish, R.J., Noakes, D., McFarlane, G., Pinnix, W., Sweeting, R., King, J., and Folkes, M. 1998. Trends in coho marine survival in relation to regime concept. DFO Can. Sci. Advis. Sec. Res. Doc., 98/171, 26pp.

Beamish, R.J., and Noakes, D.J. 2002. The role of climate in the past, present and future of Pacific salmon fisheries off the west coast of Canada. p. 231-244 in N.A. McGinn (ed.) Fisheries in a Changing Climate, American Fisheries Society Symposium 32. Bethesda, Maryland.

Beamish, R.J., Noakes, D.J., McFarlane, G.A., Klyashtorin, L., Ivanov, V.V., and Kurashov, V. 1999. The regime concept and natural trends in the production of Pacific salmon. Can. J. Fish. Aquat. Sci. 56(3):516-526.

Beamish, R.J., Noakes, D.J., McFarlane, G.A., Pinnix, W., Sweeting, R., and King, J. 2000. Trends in coho marine survival in relation to the regime concept. Fish. Oceanogr. 9(1):114-119.

Beamish, R.J., Schnute, J.T., Cass, A.J, Neville, C.M., and Sweeting, R.M. 2004. The influence of climate on the stock and recruitment of pink and sockeye salmon from the Fraser River, British Columbia, Canada. T. Am. Fish. Soc. 133(6):1396-1412.

Beamish, R.J., Sweeting, R.M., and Neville, C.M. 2004. Improvement of juvenile Pacific salmon production in a regional ecosystem after the 1998 climatic regime shift. T. Am. Fish. Soc. 133(5):1163–1175.

Beaubien, E.G., and Freeland, H.J. 2000. Spring phenology trends in Alberta, Canada: Links to ocean temperature. Int. J. Biomeorol.44:53-59.

Beckmann, L., Dunn, M., and Moore, K. 1997. Effects of climate change on coastal systems in British Columbia and Yukon Chapter 8 in E. Taylor and B. Taylor (eds.).Canada Country Study: Responding to Global Climate Change in British Columbia and Yukon. Volume I of the Canada Country Study: Climate Impacts and Adaptation. Environment Canada, Vancouver, B.C.

Behrenfeld, M.J., Boss, E., Siegel, D.A., and Shea, D.M. 2005. Carbon-based ocean productivity and phytoplankton physiology from space. Global Biogeochem. Cy. 19, GB1006.

Behrenfeld, M.J., Lean, D.R.S. and Henry, L.I. 1995. Ultraviolet-B radiation effects on inorganic nitrogen uptake by natural assemblages of oceanic plankton. J. Phycol. 31:25-36.

Bennett, J., Cumming, B.F., Leavitt, P.R., Chiu, M., Smol, J.P., and Szeicz, J. 2001. Diatom, pollen, and chemical evidence of post-glacial climatic change at Big Lake, south-central British Columbia, Canada. Quaternary Res. 55: 332-343.

Benson, A.J., McFarlane, G.A., Allen, S.A., and Dower, J.F. 2002 Changes in Pacific hake (*Merluccius productus*) migration patterns and juvenile growth related to the 1989 regime shift. Can. J. Fish. Aquat. Sci. 59(12):1969-1979.

Benson, S.R., Croll, D.A., Marinovic, B.B., Chavez, F.P., and Harvey, J.T. 2002. Changes in the cetacean assemblage of a coastal upwelling ecosystem during El Niño 1997-98 and La Nina 1999. Prog. Oceanogr. 54: 279-291.

Bertram, D.F., Mackas, D.L., and McKinnell, S.M. 2001. The seasonal cycle revisited: interannual variation and ecosystem consequences. Prog. Oceanogr. 49(1-4):283-307.

Bigler, B.S., Welch, D.W., and Helle, J.H. 1996. A review of size trends among North Pacific salmon (*Oncorhynchus* spp.). Can. J. Fish. Aquat. Sci. 53:455-465.

Billings, S.A., Richter, D.D., and Yarie, J. 1998. Soil carbon dioxide fluxes and profile concentrations in two boreal forests. Can. J. Forest Res. 28(12): 1773-1783

Bitz, C.M., and Battisti, D.S. 1999. Interannual to decadal variability in climate and the glacier mass balance in Washington, Western Canada, and Alaska. J. Climate 12: 3181-3196.

Blackbourn, D.J. 1987. Sea surface temperature and the pre-season prediction of return timing in Fraser River sockeye salmon (*Oncorhynchus nerka*). pp. 296-306 in H.D. Smith, L. Margolis, C.C. Wood (eds.). Sockeye salmon *Oncorhynchus nerka* population biology and future management. Department of Fisheries and Oceans, Ottawa, ON.

Boer, G.J., Yu, B., Kim, S.-J., and Flato, G.M. 2004. Is there observational support for an El Niño-like pattern of future global warming? Geophys. Res. Lett. 31(5).

Bond, N.A., Overland, J.E., Spillane, M., and Stabeno, P. 2003. Recent shifts in the state of the North Pacific. Geophys. Res. Lett. 30(23):2183.

Bonsal, B.R., Pietroniro, A., and Prowse, T.D. 2003. An assessment of global climate model-simulated climate for the western cordillera of Canada (1961-90). Hydrol. Process. 17(18): 3703 - 3716.

Bothwell, M. L., Sherbot, D., Roberge, A. C., and Daley, R.J. 1993. Influence of natural ultraviolet radiation on lotic periphytic diatom community growth, biomass accrual, and species composition: short-term versus long-term effects. J. Phycol. 29:24-35.

Botsford, L.W., Lawrence, C.A., Hill, M.F., Hastings, A.M., and McCann, K.S. 2002. Dynamic response of California Current populations to environmental variability in N.A. McGinn (ed.) Fisheries in a Changing Climate. American Fisheries Society Symposium 32. Bethesda, MD.

Bourque, M.-C., LeBlond, P.H., and Cummins, P.F. 1999. Effects of tidal currents on Pacific salmon migration: results from a fine-resolution coastal model. Can. J. Fish. Aquat. Sci. 56(5): 839-846.

Bovis, M. J., and Jakob, M. 2000. The July 29, 1998, debris flow and landslide dam at Capricorn Creek, Mount Meager Volcanic Complex, southern Coast Mountains, British Columbia. Can. J. Earth Sci. 37(10): 1321-1334.

Bovis, M.J. 1985. Earthflows in the Interior Plateau, southwest British Columbia. Can. J. Earth Sci. 22: 313-334.

Bovis, M.J., and Jones, P. 1992. Holocene history of earthflow mass movements in south-central British Columbia: the influence of hydroclimatic changes. Can. J. Earth Sci. 29: 1746-1755.

Bowie, W., King, A., and Werker, D. 1997. Outbreak of toxoplasmosis associated with municipal drinking water. Lancet 350(9072): 173-177.

Bradford, M.J., and Irvine, J.R. 2000. Land use, fishing, climate change, and the decline of Thompson River, British Columbia, coho salmon. Can. J. Fish. Aquat. Sci. 57(1): 13-16.

Briand, G., Heckelei, T., Matulich, S.C., and Mittelhammer, R.C. 2004. Managing fishing power: the case of Alaska red king crab (*Paralithodes camtschaticus*). Can. J. Fish. Aquat. Sci. 61(1):43-53.

Briscoe, R.J., Adkison, M.D., Wertheimer, A., and Taylor, S.G. 2005. Biophysical factors associated with the marine survival of Auke Creek, Alaska, coho salmon. T. Am. Fish. Soc. 134(4): 817–828.

Brodeur, R.D., Boehlert, G.W., Casillas, E., Eldridge, E.M., Helle, J.H., Peterson, W.T., Heard, W.R., Lindley, S.T., and Schiewe, M.H. 2000. Fisheries research perspective-A coordinated research plan for estuarine and ocean research on Pacific salmon. Fisheries 25(6): 7-16.

Brodeur, R.D., and Ware, D.M. 1995. Interdecadal variability in distribution and catch rates of epipelagic nekton in the Northeast Pacific Ocean. pp. 329-356 in R.J. Beamish (ed.), Climate Change and Northern Fish Populations, Can. Spec. Publ. Fish. Aquat. Sci. 121.

Brodeur, R.D., and Ware, D.M. 1992. Long-term variability in zooplankton biomass in the subarctic Pacific Ocean. Fish. Oceanogr. 1(1):32-38.

Broecker, W.S. 1984. Carbon dioxide circulation through ocean and atmosphere. Nature 308(5960): 602.

Brooks, G.R., Evans, S.G., and Clague, J.J. 2001. Flooding. A synthesis of natural geological hazards in Canada. Edited by G.R. Brooks. Geological Survey of Canada Bulletin 548, Ottawa, Ontario. pp. 101-143.

Brugman, M., Raistrick, P., and Pietroniro, A. 1997. Glacier related impacts of doubling carbon dioxide concentrations on British Columbia and Yukon. Ch. 6 in E. Taylor and B. Taylor (eds.).Canada Country Study: Responding to Global Climate Change in British Columbia and Yukon. Volume I of the Canada Country Study: Climate Impacts and Adaptation. Environment Canada, Vancouver, B.C.

Burn, D.H. 1994. Hydrologic effects of climatic change in west-central Canada. J. Hydrol. 160(1/4):53-70.

Cavy, J.D., and Gazey, W.J. 1994. A preseason simulation-model for fisheries on Fraser-River sockeye-salmon (*Oncorhynchus nerka*). Can. J. Fish. Aquat. Sci. 50(7):1535-1549.

Chatters, J.C., Butler, V.L., Scott, M.J., Anderson, D.M., and Neitzel, D.A. 1995. A paleoscience approach to estimating the effects of climatic warming on salmonid fisheries in the Columbia River basin. pp. 489-496 in R.J. Beamish (ed.) Climate Change and Northern Fish Populations, Can. Spec. Publ. Fish. Aquat. Sci. 121.

Chavez, F.P., Collins, C.A., Huyer, A., and Mackas, D.L. 2002. Editorial: El Niño along the west coast of North America. Prog. Oceanogr. 54: 1-5.

Cherniawsky, J.Y., Foreman, M.G.G., Crawford, W.R., and Beckley, B.D. 2004. Altimeter observations of sea level variability off the West Coast of North America. Int. J. Remote Sens. 25(7-8):1303-1306.

Church, M., and Miles, M.J. 1987. Meteorological antecedants to debris flow in southwestern British Columbia: some case histories in J.E. Costa and G.F. Wieczoreck (eds.), Debris flows/Avalanches: Process, Recognition, and Mitigation. Geological Society of America, Reviews in Engineering Geology, VII: 63-79.

Clague, J.J., and Turner, R.J.W. 2000. Climate change in southwestern British Columbia; extending the boundaries of earth science. Geosci. Can. 27(3): 111-120.

Clague, J.J., and Bobrowsky, P.T. 1994. Tsunami deposits, beneath tidal marshes on Vancouver Island, British Columbia. Geol. Soc.Am. Bull. 106 (10): 1293-1303.

Clark, W.G., and Hare, S.R. 2002. Effects of climate and stock size on recruitment and growth of Pacific halibut. N. Am. J. Fish. Manage. 22: 852-862.

Clark, W.G., Hare, S.R., Parma, A.M., Sullivan, P.J., and Trumble R.J. 1999. Decadal changes in growth and recruitment of Pacific halibut (*Hippoglossus stenolepis*). Can. J. Fish. Aquat. Sci. 56(2): 242-252.

Clark, W.G., and Hare, S.R. 2002. Effects of climate and stock size on the productivity of Pacific halibut. pp. 227-230 in N.A. McGinn (ed.), Fisheries in a Changing Climate. Edited byAmerican Fisheries Society Symposium 32. Bethesda, MD.

Cobb, K.M., Charles, C.D., and Edwards, R.L. 2003. El Niño/Southern Oscillation and tropical Pacific climate during the last millennium. Nature 424: 271-276.

Cohen, S. 1997. Integration of climate change impacts on British Columbia and Yukon. Ch. 20 in E. Taylor and B. Taylor (eds.).Canada Country Study: Responding to Global Climate Change in British Columbia and Yukon. Volume I of the Canada Country Study: Climate Impacts and Adaptation. Environment Canada, Vancouver, B.C.

Cohen, S. J. 1997. What if and so what in northwest Canada: Could climate change make a difference to the future of the Mackenzie Basin? Arctic 50(4), 293-307.

Cohen, S. J., Miller, K., Hamlet, A., and Avis, W. 1999. Climate change and resource management in the Columbia River Basin. Water Int. 25(2): 253-272.

Cole, J. 2000. Coastal sea surface temperature and coho salmon production off the north-west United States. Fish. Oceanogr. 9(1): 1-16.

Cohen, S., and Kulkarni, T. (eds.) 2001. Water Management and Climate Change in the Okanagan Basin. Environment Canada and University of British Columbia, 75pp.

Collie, J.S., and Spencer, P.D. 1994. Modeling Predator-Prey Dynamics in a Fluctuating Environment. Can. J. Fish. Aquat. Sci. 50(12):2665-2672.

Coulson, H. 1997. The impacts of climate change on river and stream flow in British Columbia and Southern Yukon. Ch. 5 in E. Taylor and B. Taylor (eds.).Canada Country Study: Responding to Global Climate Change in British Columbia and Yukon. Volume I of the Canada Country Study: Climate Impacts and Adaptation. Environment Canada, Vancouver, B.C.

Cox, S.P., and Hinch, S.G. 1997. Changes in size at maturity of Fraser River sockeye salmon (*Oncorhynchus nerka*) (1952-1993) and associations with temperature. Can. J. Fish. Aquat. Sci. 54(5):1159-1165.

Cox, S.P., Essington, T.E., Kitchell, J.F., Martell, S.J.D., Walters, C.W., Boggs, C., and Kaplan, I. 2002. Reconstructing ecosystem dynamics in the central Pacific Ocean, 1952–1998. II. A preliminary assessment of the trophic impacts of fishing and effects on tuna dynamics. Can. J. Fish. Aquat. Sci. 59(11):1736-1747.

Cox, S.P., Martell, S.J.D., Walters, C.W., Essington, T.E., Kitchell, J.F., Boggs, C., and Kaplan, I. 2002. Reconstructing ecosystem dynamics in the central Pacific Ocean, 1952–1998. I. Estimating population biomass and recruitment of tunas and billfishes. Can. J. Fish. Aquat. Sci. 59(11):1724-1735.

Craig, J.K., Foote, C.J., and Wood, C.C. 1996. Evidence for temperature-dependent sex determination in sockeye salmon (*Oncorhynchus nerka*). Can. J. Fish. Aquat. Sci. 53: 141-147.

Crawford, D.W., Lipsen, M.S., Purdie, D.A., Lohan, M.C., Statham, P.J., Whitney, F.A., Putland, J.N., Johnson, W.K., Sutherland, N., Peterson, T.D., Harrison, P.J., and Wong, C.S. 2003. Influence of zinc and iron enrichments on phytoplankton growth in the northeastern subarctic pacific. Limnol. Oceanogr. 48(4):1583-1600.

Crawford, W., Cherniawsky, J., Foreman, M., and Chandler, P. 1999. El Niño sea level signal along the west coast of Canada. Proceedings of the 1998 science board symposium on the impacts of the 1997/98 El Niño event on the North Pacific Ocean and its marginal seas. PICES Scientific Report No. 10.

Crawford, W.R. 2002. Physical characteristics of Haida eddies. J. Oceanogr. 58(5):703-714.

Crawford, W.R., Cherniawsky, J.Y., Foreman, M.G.G., and Gower, J.F.R. 2002. Formation of the Haida-1998 oceanic eddy. J. Geophys. Res. 107(C7):3069.

Croll, D.A., Marinovic, B., Benson, S., Chavez, F.P., Black, N., Ternullo, R., and Tershy, B.R. 2005. From wind to whales: tropic links in a coastal upwelling system. Mar. Ecol. Prog. Ser. 289: 117-130.

Crossin, G. T., Hinch, S.G., Farrell, A.P., Higgs, D. A., and Healey, M. C. 2004. Somatic energy of sockeye salmon *Oncorhynchus nerka* at the onset of upriver migration: a comparison among ocean climate regimes. Fish. Oceanogr. 13(5):345-349.

Cumming, B.F., and Smol, J.P. 1993. Development of diatom-based salinity models for paleoclimatic research from lakes in British Columbia (Canada). Hydrobiologia 269-270: 179-196.

Cumming, S.G., and Burton, P.J. 1996. Phenology-mediated effects of climatic change on some simulated British Columbia forests. Climatic Change 34(2): 213-222.

Cummins, P.F., and Lagerloef, G. S.E. 2002. Low-frequency pycnocline depth variability at ocean weather Station P in the Northeast Pacific. J. Phys. Oceanogr. 32(11):3207–3215.

Cunderlik, J.M., and Burn, D.H. 2004. Linkages between regional trends in monthly maximum flows and selected climatic variables. J. Hydrol. Eng.9: 246-256.

Cunderlik, J.M., and Burn, D.H. 2002. Local and regional trends in monthly maximum flows in southern British Columbia. Can. Water Resour. J. 27(2).

Currie, R.G. 1984. Periodic (18.6-year) and cyclic (11-year) induced drought and flood in western North America. J. Geophys. Res. 89(D5): 7215-7230.

Cushing, C.E. 1997. Freshwater ecosystems and climate change: a regional assessment. Hydrol. Process. 11: 819-1067.

Dáithí A.S., Weaver, A.J., and Zwiers, F.W. 2000. Trends in Canadian Precipitation Intensity. Atmos. Ocean 38: 321-347.

Danard, M.B., and Murty, T.S. 1988. Some recent trends in precipitation in western Canada and their possible link to rising carbon dioxide. Canadian Meteorological and Oceanographic Society, Atmos.- Ocean 26(1): 139-145.

de Young, B., Harris, R., Alheit, J., Beaugrand, G., Mantua, N., and Shannon, L. 2004. Detecting regime shifts in the ocean: Data considerations. Prog. Oceanogr. 60(2-4): 143-164.

de Young, B., Peterman, R.M., Dobell, A.R., Pinkerton, E., Breton, Y., Charles, A.T., Fogarty, M.J., Munro, G.R., and Taggart, C. 2000. Canadian marine fisheries in a changing and uncertain world. Can. Spec. Publ. Fish. Aquat. Sci. No. 129:1-1999.

Degrand, J.Q., Carleton, A.M., Travis, D.J., and Lamb, P.J. 2000. A satellite-based climatic description of jet aircraft contrails and associations with atmospheric conditions, 1977-79. J. Appl. Meterol. 39(9): 1434-1459.

Denman, K.L. 2003. Modelling planktonic ecosystems: parameterizing complexity. Prog. Oceanogr. 57(3-4):429-452.

Denman, K.L., and Peña, M.A. 2002. The response of two coupled one-dimensional mixed layer planktonic ecosystem models to climate change in the NE subarctic Pacific Ocean. Deep-Sea Res. Pt. II: 49:5739-5757.

Desloges, J.R. 1999. Geomorphic and climatic interpretations of abrupt changes in glaciolacustrine deposition at Moose Lake, British Columbia, Canada. GFF 121 (3):202-207.

Desloges, J.R., Jones, D.P., and Ricker, K.E. 1989. Estimates of peak discharge from the drainage of ice-dammed Ape Lake, British Columbia, Canada. J. Glaciol. 35(121): 349-354.

Desloges, J.R., and Church, M. 1992. Geomorphic implications of glacier outburst flooding: Noeick River Valley, British Columbia. Can. J. Earth Sci. 29(3): 551-564.

Dirszowsky, R.W. 2004. Bed sediment sources and mixing in the glacierized upper Fraser River watershed, east-central British Columbia. Earth Surf. Proc. Land. 29: 533-552.

Dobry, J., and Klinka, K. 1998. Reconstructing temperature from tree rings of Pacific silver fir in Coastal British Columbia. Northwest Sci. 72(2): 81-87.

Dore, J.E., Lukas, R., Sadler, D., and Karl, D.M. 2003. Climate-driven changes to the atmospheric CO2 sink in the subtropical North Pacific Ocean. Nature 424:754-757.

Doroff, A.M., Estes, J.A.; Tinker, M.T., Burn, D.M., Evans, T. J. 2003. Sea otter population declines in the Aleutian Archipelago. J. Mammal. 84(1):55-64.

Downton, M.W., and Miller, K.A. 1998. Relationships between Alaskan salmon catch and North Pacific climate on interannual and decadal time scales. Can. J. Fish. Aquat. Sci. 55(10):2255-2265.

Eamer, J., Russell, D., and Kofinas, G. 1997. Impacts of climate change on aboriginal lifestyles in British Columbia and Yukon. pp. 16-1 to 16-6 in E. Taylor and B. Taylor (eds.).Canada Country Study: Responding to Global Climate Change in British Columbia and Yukon. Volume I of the Canada Country Study: Climate Impacts and Adaptation. Environment Canada, Vancouver, B.C.

Eaton, B., Church, M., and Ham, D. 2002. Scaling and regionalization of flood flows in British Columbia, Canada. Hydrol. Process. 16(16): 3245-3263.

Eaton, D.M., and Adams, F.J. 1995. The effects of global warming on the distribution of steelhead trout populations on the Alaska Peninsula, Alaska. Alaska Fisheries Technical Report Number 33. US Fish and Wildife Service, Alaska.

Edmundson, J.A., and Mazumder, A. 2001. Linking growth of juvenile sockeye salmon to habitat temperature in Alaskan lakes. T. Am. Fish. Soc. 130: 644-662.

Edwards, M.S., and Hernández-Carmona, G. 2005. Delayed recovery of giant kelp near its southern range limit in the North Pacific following El Niño. Mar. Biol. 147(1): 273-279.

Estes, J.A., Tinker, M.T., Williams, T.M., and Doak, D.F. 1998. Killer whale predation on sea otters linking oceanic and nearshore ecosystems. Science 282:473-476.

Evans, S.G., and Clague, J.J. 1994. Recent climatic change and catastrophic geomorphic processes in mountain environments. Geomorphology 10(1-4):107-128.

Evans, S.G., and Clague, J.J. 1997. The impact of climate change on catastrophic geomorphic processes in the mountains of British Columbia, Yukon and Alberta in E. Taylor and B. Taylor (eds.).Canada Country Study: Responding to Global Climate Change in British Columbia and Yukon. Volume I of the Canada Country Study: Climate Impacts and Adaptation. Environment Canada, Vancouver, B.C.

Fasham, M.J.R., Balino, B.M., and Bowles, M.C. (eds.). 2001. A new vision of ocean biogeochemistry after a decade of the Joint Global Ocean Flux Study (JGOFS). Ambio Special Report 10:4-31.

Federer C.A., Vorosmarty, D., and Fekete, B. 1996. Intercomparison of methods for calculating potential evapotranspiration in regional and global water balance models. Water Resour. Res. 32(7): 2315-2321.

Feely, R.A., Sabine, C.L., Lee, K., Millero, F.J., Lamb, M.F., Greeley, D., Bullister, J.L., Key, R.M., Peng, T.-H., Kozyr, A., Ono, T., and Wong, C.S. 2002. In situ calcium carbonate dissolution in the Pacific Ocean. Global Biogeochem. Cy. 16(4):1144.

Feinberg, L.R., and Peterson, W.T. 2003. Variability in duration and intensity of euphausiid spawning off central Oregon, 1996–2001. Prog. Oceanogr. 57(3-4):363-379.

Ferguson, S.A. 1995. Potential climate change in northern North America in D.L. Peterson and D.R. Johnson (eds.), Human Ecology and Climate Change: People and Resources in the Far North. Washington, DC: Taylor & Francis.

Filippelli, G.M., and Souch, C. 1999. Effects of climate and landscape development on the terrestrial phosphorus cycle. Geology 27(2): 171-174.

Finney, B., Gregory-Eaves, I., Sweetman, J., Douglas, M., Smol, J.P. 2000. Impacts of climatic change and fishing on Pacific salmon abundance over the past 300 years. Science 290(5492):795-799.

Finney, B.P., Gregory-Eaves, I., Douglas, M.S.V., and Smol, J.P. 2002. Fisheries productivity in the northeastern Pacific Ocean over the past 2,200 years. Nature 416:729-733.

Fleming, S.W., and Clarke, G.K.C. 2003. Glacial control of water resource and related environmental responses to climatic warming: Empirical analysis using historical streamflow data from Northwestern Canada. Can. Water Resour. J. 28(1):69-86.

Fletcher, L., Hungr, O., and Evans, S.G. 2002. Contrasting failure behaviour of two large landslides in clay and silt. Can. Geotech. J. 39(1): 46-62

Flynn, L., and Hilborn, R. 2004. Test fishery indices for sockeye salmon (*Oncorhynchus nerka*) as affected by age composition and environmental variables. Can. J. Fish. Aquat. Sci. 61(1):80-92.

Fogarty, M.J. 2002. An Overview of the U.S. GLOBEC program. Oceanography 15(2):4-12.

Foreman, M.G.G., James, C.B., Quick, M.C., Hollemans, P., and Wiebe, E. 1996. Flow and temperature models for the Fraser and Thompson Rivers. Atmos. Ocean 35(1): 109-134.

Francis, R.C. 1990. Climate change and marine fisheries. Fisheries 15(6):7-9.

Francis, R.C., and Hare, S.R. 1994. Decadal-scale regime shifts in the large marine ecosystems of the north-east Pacific: a case for historical science. Fish. Oceanogr. 3: 279-291.

Francis, R.C., and Sibley, T.H. 1991. Climate change and fisheries: What are the real issues? Northwest Environ. J. 7: 295-307.

Francis, R.C., Hare, S.R., Hollowed, A.B., and Wooster, W.S. 1998. Effects of interdecadal climate variability on the oceanic ecosystems of the northeast Pacific. Fish. Oceanogr. 7(1): 1-21.

Frauenfeld, O.W., Davis, R.E., and Mann, M.E. 2005. A distinctly interdecadal signal of Pacific Ocean-atmosphere interaction. J. Climate 18(11): 1709-1718.

Frederick, S.W., and Peterman, R.M. 1995. Choosing fisheries harvest policies - when does uncertainty matter. Can. J. Fish. Aquat. Sci. 52(2): 291-306.

Freeland, H.J. 1990. Sea surface temperatures along the coast of British Columbia: Regional evidence for a warming trend. Can. J. Fish. Aquat. Sci. 47:346-350.

Freeland, H.J. 2002. The heat flux across Line P 1996-1999. Atmos. Ocean 40(1):81-89.

Freeland, H.J., Gatien, G., Huyer, A., and Smith, R.L. 2003. Cold halocline in the northern California Current: An invasion of subarctic water. Geophys. Res. Lett. 30(3): 1141.

Freeland, H.J. and Beamish, D. 1998. The changing Pacific. CMOS Bulletin 26(6):155-160.

Fukasawa, M., Freeland, H., Perkin, R., Watanabe, T., Uchida, H., and Nishina, A. 2004. Bottom water warming in the North Pacific Ocean. Nature 427(6977):825-827.

Gargett, A., Li, M., and Brown, R. 2001. Testing mechanistic explanations of observed correlations between environmental factors and marine fisheries. Can. J. Fish. Aquat. Sci. 58(1):208-219.

Gargett, A.E. 1997. The optimal stability "window": A mechanism underlying decadal fluctuations in North Pacific salmon stocks? Fish. Oceanogr. 6(2):109-117.

Gargett, A.E. 2004. Beyond correlations: The search for mechanisms underlying coupled climate/ecosystem variability in the oceans. Eos Trans. AGU 85(17):

Gargett, A.E., Stucchi, D., and Whitney, F. 2003. Physical processes associated with high primary production in Saanich Inlet, British Columbia. Estuar. Coast. Shelf S.56(5-6):1141-1156.

Gaton, A.J., and Smith, J.L. 2001. Changes in oceanographic conditions off northern British Columbia (1983-1999) and the reproduction of a marine bird, the Ancient Murrelet (*Synthliboramphus antiquus*). Can. J. Zoolog. 79:1735-1742.

Gedalof, Z., Peterson, D.L., and Mantua, N.J. 2004. Columbia River flow and drought since 1750. J. Am. Water Resour. As. 40(6): 1579-1592.

Gholz, H.L. 1982. Environmental limits on aboveground net primary production, leaf area and biomass in vegetation zones of the Pacific Northwest. Ecology 63(2):469-481.

Gilhousen, P. 1960. Migratory behavior of adult Fraser River sockeye salmon. Int. Pac. Salmon Fish. Comm. Prog. Rept. 7. 78pp.

Goes, J.I., Gomes, H.D.R., Limaskul, A., Balch, W.M., and Saino, T. 2001. El Niño related interannual variations in biological production in the North Pacific as evidenced by satellite and ship data. Prog. Oceanogr. 49: 211-225.

Goldblatt, R.H., Mackas, D.L., and Lewis, A.G. 1999. Mesozooplankton community characteristics in the NE subarctic Pacific. Deep-Sea Res. Pt. II: Topical Studies in Oceanography 46 (11-12): 2619-2644.

Goulden, M.L., Wofsy, S.C., and Harden, J.W. 1998. Sensitivity of boreal forest carbon balance to soil thaw. Science 279:214-216.

Gower, J.F.R. 2002. Temperature, wind and wave climatologies and trends from marine meteorological buoys in the NE Pacific. J. Climate 15(24):3709-3718.

Graham, J.B. 1998. Book Review: Global Warming: Implications for Freshwater and Marine Fish, edited by C. M. Wood and D. G. McDonald. Fish. Oceanogr. 7(2): 171-173.

Gregg, W.W., Casey, N.W., and McClain, C.R. 2005. Recent trends in global ocean chlorophyll. Geophys. Res. Lett. 32, L03606.

Gregory-Eaves, I., Finney, B.P., Douglas, M.S.V., and Smol, J.P. 2004 Inferring sockeye salmon (*Oncorhynchus nerka*) population dynamics and water quality changes in a stained nursery lake over the past ~500 years. Can. J. Fish. Aquat. Sci. 61:1235-1246.

Gregr, E.J. and Trites, A.W. 2001. Predictions of critical habitat for five whale species in the waters of coastal British Columbia. Can. J. Fish. Aquat. Sci. 58:1265-1285.

Gresh, T., Lichatowich, J., and Schoonmaker, P. 2000. An estimation of historic and current levels of salmon production in the Northeast Pacific ecosystem: Evidence of a nutrient deficient in the freshwater systems of the Pacific Northwest. Fisheries 25(1):15-21.

Guilbault, J-P., Patterson, R.T., Thomson, R.E., Barrie, J.V., and Conway, K.W. 1997. Late quaternary paleoceanographic changes in Dixon Entrance, northwestern British Columbia. J. Foram. Res. 27(3):151-174.

Gulev, S.K., Zolina, O., and Grigoriev, S. 2001. Extratropical Cyclone variability in the northern hemisphere winter from the NCEP/NCAR reanalysis data. Clim. Dynam. 17(10): 795-809.

Haigh, S.P., Denman, K.L., and Hsieh, W.W. 2001. Simulation of the planktonic ecosystem response to pre- and post-1976 forcing in an isopycnic model of the North Pacific. Can. J. Fish. Aquat. Sci. 58(4):703-722.

Hallowed, A.B., Hare, S.R., and Wooster, W.S. 2002 Erratum to: Pacific Basin climate variability and patterns of Northeast Pacific marine fish production [Progress on Oceanography 49 (2001) 257-282]. Prog. Oceanogr. 55: 371.

Halsey, L.A., Vitt, D.H., and Zoltai, S.C. 1995. Disequilibrium response of permafrost in boreal continental western Canada to climate change. Climatic Change 30(1): 57-73.

Hanawa, K. 2000. Long-term variations in SST fields of the North Pacific Ocean. Climate Change and Northern Fish Populations. Can. Spec. Publ. of Fish. Aquat. Sci. 121: 25-36.

Hansen, L.P., and Quinn, T.P. 1998. The marine phase of the Atlantic salmon (*Salmo salar*) life cycle, with comparisons to Pacific salmon. Can. J. Fish. Aquat. Sci. 55(S1):104-118.

Harding, L.E., and Taylor, E. 1994. Atmospheric change in British Columbia. pp. 323-341 in L.E. Harding and E. McCullum (eds.) Biodiversity in British Columbia. Environment Canada, Delta, BC, 426pp.

Harding, L.E., and McCullum, E. (eds.). 1994. Biodiversity in British Columbia: Our changing environment. Environment Canada, Delta, BC. 426pp.

Hare, S.R., and Francis, R.C. 1995. Climate change and salmon production in the northeast Pacific Ocean. pp. 357-372in R.J. Beamish (ed.) Climate Change and Northern Fish Populations. Can. Spec. Publ. Fish. Aquat. Sci. 121.

Hare, S.R., Minobe, S., Wooster, W.S., McKinnell, S. 2000. An introduction to the PICES symposium on the nature and impacts of North Pacific climate regime shifts. Prog. Oceanogr. 47(2-4):99-102.

Hare, S.R., Mantua, N.J., and Francis, R.C. 1999. Inverse production regimes: Alaskan and West Coast Salmon. Fisheries 24(1):6-14.

Harrison, P.J., Boyda, P.W., Varela, D.E., Takeda, S., Shiomoto, A., and Odate, T. 1999. Comparison of factors controlling phytoplankton productivity in the NE and NW subarctic Pacific gyres. Prog. Oceanogr. 43(2-4): 205-234.

Hauer, F.R., Baron, J.S., Campbell, D.H., Fausch, K.D., Hostetler, S.W., Leavesley, G.H., Leavitt, P.R., McKnight, D.M., and Stanford, J.A. 1997. Assessment of climate change and freshwater ecosystems of the Rocky Mountains, USA and Canada. Hydrol. Process. 11(8):903-924.

Hayward, T.L. 1997. Pacific Ocean climate change: atmospheric forcing, ocean circulation and ecosystem response. Trends Ecol. Evol. 12(4):150 -154.

Hebda, R. 1997. Impact of climate change on biogeoclimatic zones of British Columbia and Yukon. Ch. 13 in E. Taylor and B. Taylor (eds.).Canada Country Study: Responding to Global Climate Change in British Columbia and Yukon. Volume I of the Canada Country Study: Climate Impacts and Adaptation. Environment Canada, Vancouver, B.C.

Hebda, R. 1998. Atmospheric change, forests and biodiversity. Environ. Monit. Assess. 49(2-3): 195-212,

Helle, J.H., and Hoffman, M.S. 1998. Changes in size and maturity of two North American stocks of chum salmon (*Oncorhynchus keta*) before and after a major regime shift in the North Pacific Ocean. NPAFC Bull. 1:81-89.Helle, J.H., and Hoffman, M.S. 1995. Size decline and older age at maturity of two chum salmon (*Oncorhynchus keta*) stocks in western North America, 1972-92.pp. 245-260 in R.J. Beamish (ed.), Climate Change and Northern Fish Populations. Can. Spec. Publ. Fish. Aquat. Sci. 121.

Helmuth, B., Harley, C.D.G., Halpin, P.M., O'Donnell, M., Hoffmann, G.E., and Blanchette, C.A. 2002. Climate change and latitudinal patterns of intertidal thermal stress. Science 298(5595): 1015-1017.

Henderson, M.A., Diewert, R.E., Stockner, J.G., and Levy, D.A. 1995. Effect of water temperature on emigration timing and size of Fraser River pink salmon (*Oncorhynchus gorbuscha*) fry: implications for marine survival. pp. 655-664 in R.J. Beamish (ed.) Climate Change and Northern Fish Populations. Can. Spec. Publ. Fish. Aquat. Sci. 121.

Henderson, M.A., Levy, D.A., and Stockner, J.S. 1992. Probable consequences of climate change on freshwater production of Adams River sockeye salmon (*Oncorhynchus nerka*). Geoj. 28(1):51-59.

Hengeveld, H. 2002. Recent Unusual Weather and Related Impacts and Disasters: Natural variability or Climate Change? CO2/Climate. 11pp.

Hickman, M., and Reasoner, M.A. 1994. Diatom responses to late Quaternary vegetation and climate change, and to deposition of two tephras in an alpine and a sub-alpine lake in Yoho National Park, British Columbia. J. Paleolimnol. 11(2): 173-188.

Hii, B. 1997. The impacts of climate change on the Abbotsford aquifer. Ch. 18 in E. Taylor and B. Taylor (eds.).Canada Country Study: Responding to Global Climate Change in British Columbia and Yukon. Volume I of the Canada Country Study: Climate Impacts and Adaptation. Environment Canada, Vancouver, B.C.

Hill, D.K. 1995. Pacific warming unsettles ecosystems. Science 267:1911-1912.

Hill, K.L., Weaver, A.J., Freeland, H.J., and Bychkov, A. 2003. Evidence of Change in the Sea of Okhotsk: Implications for the North Pacific. Atmos. Ocean 41(1): 49-63.

Hinch, S., Healey, G.M.C., Diewert, R.E., Thomson, K.A., Hourston, R., Henderson, M.A., and Juanes, F. 1995. Potential effects of climate change on marine growth and survival of Fraser River sockeye salmon. Can. J. Fish. Aquat. Sci. 52(12):2651-2659.

Hinch, S.G., Healey, M.C., Diewert, R. E., and Henderson, M.A. 1995. Climate change and ocean energetics of Fraser River sockeye (*Oncorhynchus nerka*). pp. 439-445 in R.J. Beamish (ed.). Can. Spec. Publ. Fish. Aquat. Sci. 121.

Hinch, S.G., and Rand, P.S. 1998. Swim speeds and energy use of upriver-migrating sockeye salmon (*Oncorhynchus nerka*): role of local environment and fish characteristics. Can. J. Fish. Aquat. Sci. 55(8):1821-1831.

Hobday, A.J. and Boehlert, G.W. 2001. The role of coastal ocean variation in spatial and temporal patterns in survival and size of coho salmon (*Oncorhynchus kisutch*). Can. J. Fish. Aquat. Sci. 58(10):2021-2036.

Hodgson, S., and Quinn, T.P. 2002. The timing of adult sockeye salmon migration into fresh water: adaptations by populations to prevailing thermal regimes. Can. J. Zoolog. 80: 542-555.

Hofmann, E.E., Powell, E.N., Bochenek, E.A., and Klinck, J.M. 2004. A modelling study of the influence of environment and food supply on survival of *Crassostrea gigas* larvae. ICES J. Mar. Sci. 61(4): 596-616.

Hogg, E.H., and Hurdle, P.A. 1995. The aspen parkland in western Canada: a dry-climate analogue for the future boreal forest? Water Air Sol. Poll. 82:391-400.

Hollowed, A., Hare, S.R., and Wooster, W.S. 2001. Pacific Basin climate variability and patterns of Northeast Pacific marine fish production. Prog. Oceanogr. 49(1-4):257-282.

Hollowed, A.B., and Wooster, W.S. 1995. Decadal-scale variations in the eastern subarctic Pacific: II. Response of Northeast Pacific fish stocks. Climate Change and Northern Fish Populations. Can. Spec. Publ. of Fish. Aquat. Sci. 121: 373-385.

Hsieh, W.W., Lee, W.G., and Mysak, L.A. 1991. Using a numerical-model of the Northeast Pacific Ocean to study the interannual variability of the Fraser River sockeye salmon (*Oncorhynchus nerka*). Can. J. Fish. Aquat. Sci. 48(4):623-630.

Hutchinson, P., Welch, D.W., Boehlert, G, and Whelan, K. 2002. A synthesis of the joint meeting: Causes of marine mortality of salmon in the North Pacific and North Atlantic Oceans and in the Baltic Sea. NPAFC Bull. 4:93-96.Hyatt, K. D. and M. M. Stockwell. 2003. Analysis of seasonal thermal regimes of selected aquatic habitats for salmonid populations of interest to the Okanagan Fish and Water Management Tools (FWMT) project. Can. Manuscr. Rep. Fish. Aquat. Sci. 2618: 26pp.

Hyatt, K.D., Stockwell, M.M., and Rankin, D.P. 2003. Impact and adaptation responses of Okanagan River sockeye salmon (*Oncorhynchus nerka*) to climate variation and change effects during freshwater migration: Stock restoration and fisheries management implications. Can. Water Resour. J. 28(4):689-613.

Ianson, D., and Allen, S.E. 2002. A two-dimensional nitrogen and carbon flux model in a coastal upwelling region. Global Biogeochem. Cy. 16(1):1011.

Ianson, D., Allen, S.E., Harris, S.L., Orians, K.J., Varela, D.E., and Wong, C.S. 2003. The inorganic carbon system in the coastal upwelling region west of Vancouver Island, Canada. Deep-Sea Res. Pt. I: 50:1023-1042.

Ingraham, W.J.E., Hinrichsen, C.C., and Richard A. 1998. Imminent climate and circulation shift in northeast Pacific Ocean could have major impact on marine resources. Trans. Am. Geophys. Union 79(16): 197-201.

Institute of Ocean Sciences. Modelling the response of the planktonic food web to iron fertilization and warming in the NE subarctic Pacific. Prog. Oceanogr. 57(3-4):453-479.

Ishida, Y., Hariu, T., Yamashiro, J., McKinnell, S., Matsuda, T., and Kaneko, H. 2001. Archeological evidence of Pacific salmon distribution in northern Japan and implications for future global warming. Prog. Oceanogr. 49(1-4):539-550.

Ishida, Y., Welch, D.W., and Ogura, M. 1995. Potential influence of North Pacific sea-surface temperatures on increased production of chum salmon (*Oncorhynchus keta*) from Japan. pp. 271-275 in R.J. Beamish (ed.), Climate Change and Northern Fish Populations, Can. Spec. Publ. Fish. Aquat. Sci. 121.

Jakob, M., McKendry, I., and Lee, R. 2003. Long-term changes in rainfall intensities in Vancouver, British Columbia. Can. Water Resour. J. 28(4):587-604.

Jensen, J.O.T. 2004. Puntledge river high temperature study: influence of high water temperatures on adult pink salmon mortality, maturation, and gamete viability. Can. Tech. Rep. Fish. Aquat. Sci. 2523. vi+50p.

Johnsen, K.H., and Seiler, J.R. 1995. Growth, shoot phenology and physiology of diverse seed sources of black spruce: I. Seedling responses to varied atmospheric CO_2 concentrations and photoperiods. Tree Physiol. 16: 367-373.

Johnson, G.E., Ebberts, B.D., Dauble, D.D., Giorgi, A.E., Heisey, P.G., Mueller, R.P., and Neitzel, D.A. 2003. Effects of jet entry at high-flow outfalls on juvenile Pacific salmon. Nor. Am. J. Fish. Manage. 23(2): 441-449.

Jones, S.A., Fischhoff, B., and Lach, D. 1999. Evaluating the science-policy interface for climate change research. Climatic Change 43: 581-599.

Jones, S.A., Fischhoff, B., and Lach, D. 1998. An integrated impact assessment of the effects of climate change on the Pacific Northwest salmon fishery. IAPA 16(3): 227-237.

Kane, R.P. 1999. Some characteristics and precipitation effects of the El Niño of 1997–1998. J. Atmos. Sol.-Terr. Phy. 61(8):1325-1346.

Keefer, M.L., Peery, C.A., Jepson, M.A., Tolotti, K.R., Bjornn, T.C., and Stuehrenberg, L.C. 2004. Stock-specific migration timing of adult spring-summer chinook salmon in the Columbia River. North Am. J. Fish. Manage. 24(4):1145-1162.

Keister, J.E., Johnson, T.B., Morgan, C.A., and Peterson, W.T. 2005. Biological indicators of the timing and direction of warm-water advection during the 1997/1998 El Niño off the central Oregon coast, USA. Mar. Ecol. Prog. Ser. 295:43-48.

Kelly, D.J., and Bothwell, M.L. 2002. Avoidance of solar ultraviolet radiation by juvenile coho salmon (*Oncorhynchus kisutch*). Can. J. Fish. Aquat. Sci. 59(3):474-482.

Keyantash, J., and Dracup, J.A. 2002. The qualification of drought: an evaluation of drought indices. B. Am. Meterol. Soc.83 (8): 1167-1180.

Kienast. S.S., and McKay, J.L. 2001. Sea surface temperatures in the subarctic Northeast Pacific reflect millenial-scale climate oscillations during the last 16 kyrs. Geophys. Res. Lett. 15, 28(8).

Kimmins, J.P., and Lavender, D.P. 1992. Ecosystem-level changes that may be expected in a changing global climate: A British Columbia perspective. Environ. Toxicol. Chem. 11(8): 1061-1068.

Kimura, D.K., Shimada, A.M., and Shaw, F.R. 1998. Stock structure and movement of tagged sablefish, *Anoplopoma fimbria*, in offshore northeast Pacific waters and the effects of El Niño-Southern Oscillation on migration and growth. Fish. Bull. 96:462-481.

King, J.R., McFarlane, G.A., and Beamish, R.J. 2000. Decadal scale patterns in the relative year class success of sablefish (*Anoplopoma fimbria*). Fish. Oceanogr. 9(1): 62-70.

King, J.R., Ivanov, V.V., Kurashov, V., Beamish, R.J., and McFarlane, G.A. 1998. General circulation of the atmosphere over the North Pacific and its relationship to the Aleutian Low. NPAFC Doc. No 318. 18pp.

King, J.R., McFarlane, G.A., and Beamish, R.J. 2001. Incorporating the dynamics of marine systems into the stock assessment and management of sablefish. Prog. Oceanogr. 49(1-4): 619-639

Kite, G.W. 1993. Application of a land class hydrological model to climatic change. Water Resour. Res. 29(7): 2377-238.

Klyashtorin, L.B., and Rukhlov, F.N. 1998. Long-term climate change and pink salmon stock fluctuations. NPAFC Bull. 1:464-479.

Korman, J., Ahrens, R.N.M, Higgins, P.S., and Walters, C.J. 2002. Effects of observer efficiency, arrival timing, and survey life on estimates of escapement for steelhead trout (*Oncorhynchus mykiss*) derived from repeat mark–recapture experiments. Can. J. Fish. Aquat. Sci. 59(7): 1116-1131.

Koshida, G., and W. Avis (eds.). 1998 Canada country study: Climate impacts and adaptation. Volume VII, national sectoral issues. Environment Canada: Toronto, ON. 620pp.

Koslow, J.A., Hobday, A.J., and Boehlert, G.W. 2002. Climate variability and marine survival of coho salmon (*Oncorynchus kisutch*) in the Oregon production area. Fish. Oceanogr. 11(2): 65-77.

Kvitek, R., and Bretz, C. 2004. Harmful algal bloom toxins protect bivalve populations from sea otter predation. Mar. Ecol. Prog. Ser. 271:233-243.

Labelle, M., Walters, C.J., and Riddell, B. 1997. Ocean survival and exploitation of coho salmon (*Oncorhynchus kisutch*) stocks from the east coast of Vancouver Island, British Columbia. Can. J. Fish. Aquat. Sci. 54(7):1433-1449.

Lacey, R.W.J., and Millar, R.G. 2004. Reach scale hydraulic assessment of instream salmonid habitat restoration. J. Am. Water Resour. As. 40(6):1631-1644.

Laprise, R., Caya, D., Giguere, M., Bergeron, G., Cote, H., Blanchet, J.-P., Boer, G.J., and McFarlane, N.A. 1998. Climate and climate change in western Canada as simulated by the Canadian Regional Climate Model. Atmos. Ocean 36(2):119-167.

Laprise, R., Caya, D., Giguère, M., Bergeron, G., Coté, H., Blanchet, J-P., Boer, G. J., and McFarlane, N.A. 1998. Climate of Western Canada under current and enhanced greenhouse gas concentration as simulated by the Canadian Regional Climate Model. Atmos. Ocean 36: 119-167.

Larsen, D.P., Kaufmann, P.R., Kincaid, T.M., and Urquhart, N.S. 2004. Detecting persistent change in the habitat of salmon-bearing streams in the Pacific Northwest. Can. J. Fish. Aquat. Sci. 61(2): 283-291.

Lawson, P.W., Logerwell, E.A., Mantua, N.J., Francis, R.C., and Agostini, V.N. 2004. Environmental factors influencing freshwater survival and smolt production in Pacific Northwest coho salmon (*Oncorhynchus kisutch*). Can. J. Fish. Aquat. Sci. 61(3): 360-373.

Lee, C.G., Farrell, A.P., Lotto, A., MacNutt, M.J., Hinch, S.G., and Healey, M.C. 2003. The effect of temperature on swimming performance and oxygen consumption in adult sockeye (*Oncorhynchus nerka*) and coho (*O. kisutch*) salmon stocks. J. Exp. Biol. 206(18):3239-3251.

Lehodey, P., Chai, F., and Hampton, J. 2003. Modelling climate-related variability of tuna populations from a coupled ocean-biogeochemical-populations dynamics model. Fish. Oceanogr. 12(4/5): 483-494.

Leith, R.M.M., and Whitfield, P.H. 1998. Evidence of climate change effects on the hydrology of streams in south-central B.C. Can. Water Resour. J. 23(3): 219-230.

Leonard, C.L., Bidigare, R.R., Seki, M.P., and Polovina, J.J. 2001. Interannual mesoscale physical and biological variability in the North Pacific Central Gyre. Prog. Oceanogr. 49(1-4):227-244.

Lettenmaier, D. P., Brettmann, K.L., Vail, L.W., Yabusaki, S.B., and Scott, M.J. 1992. Sensitivity of Pacific Northwest water resources to global warming. Northwest Environ. J. 8:265-283.

Leung, R.L., Qian, Y., and Bian, X. 2003. Hydroclimate of the Western United States Based on Observations and Regional Climate Simulation of 1981–2000. Part I: Seasonal Statistics. J. Climate 16(12):1892-1911.

Leung, R.L.; Qian, Y., Bian, X., and Hunt, A. 2003. Hydroclimate of the western United States based on observations and regional climate simulation of 1981–2000. Part II: Mesoscale ENSO anomalies. J. Climate 16(12):1912-1238.

Levy, D.A. 1992. Potential impacts of global warming on salmon production in the Fraser River watershed. Can. Tech. Rep. Fish. Aquat. Sci. 1889, 96pp + xii.

Levy, D.A. 1994. Potential impacts of global warming on salmon production in the Fraser River watershed. CCD 94-04, Environment Canada, Downsview, Ontario.

L'Heureux, M.L., Mann, M.E., Cook, B.I., Gleason, B.E., and Vose, R.S. 2004. Atmospheric circulation influences on seasonal precipitation patterns in Alaska during the latter 20th century. J. Geophys. Res. 109, D06106.

Lin, P., and Regier, H.A. 1995. Use of Arrhenius models to describe temperature dependence of organismal rates in fish. pp. 211-225 in R.J. Beamish (ed.), Climate Change and Northern Fish Populations, Can. Spec. Publ. Fish. Aquat. Sci. 121.

Lluch-Cota, D.B.H.-V., and Lluch-Cota, S.E. 1997. Empirical investigation on the relationship between climate and small pelagic global regimes and El Niño-Southern Oscillation (ENSO). FAO Fisheries Circular No. 934.

Logerwell, E.A., Mantua, N.P., Lawson, P.W., Francis, R.C., and Agostini, V.N. 2003. Tracking environmental processes in the coastal zone for understanding and predicting Oregon coho (*Oncorhynchus kisutch*) marine survival. Fish. Oceanogr. 12(6):554-568.

Logerwell, E.A., Lavaniegos, B., and Smith, P.E. 2001. Spatially-explicit bioenergetics of Pacific sardine in the Southern California Bight: are mesoscale eddies areas of exceptional prerecruit production? Prog. Oceanogr. 49(1-4):391-406.

Loukas, A., and Quick, M.C. 1996. Effect of climate change on hydrologic regime of two climatically different watersheds. J. Hydrol. Eng. 1(2): 77-87.

Loukas, A., and Quick, M.C. 1999. Effect of climate change on floods in British Columbia. Nord. Hydrol. 30(3): 231-256.

Loukas, A., Vasiliades, L., and Dalezios, N.R. 2000. Flood producing mechanisms identification in southern British Columbia, Canada. J. Hydrol. 227(1-4): 218-235

Lowe, D.J., Green, D.J., Northcote, T.G., and Ha, K.J. 1997. Holocene fluctuations of a meromictic lake in southern British Columbia. Quat. Res. 48:100-113

Luckman, B., and Kavanagh, T. 2000. Impact of climate fluctuations on mountain environments in the Canadian Rockies. Ambio 29(7): 371-380.

Luckman, B.H. 1998. Landscape and climate change in the central Canadian Rockies during the 20th century. Can. Geogr.-Geogr. Can. 42(4):319-336.

Luckman, B.H. 2000. The little ice age in the Canadian Rockies. Geomorphology 32(3-4):357-384.

Luckman, B.H. 1997. Developing a proxy climate record for the last 300 years in the Canadian Rockies - Some problems and opportunities. Climatic Change 36(3): 455-476.

Mackas, D.L. 1995. Interannual variability of the zooplankton community off southern Vancouver Island. pp. 603-615 in R.J. Beamish (ed.), Climate Change and Northern Fish Populations, Can. Spec. Publ. Fish. Aquat. Sci. 121.

Mackas, D.L., Thomson, R.E., and Galbraith, M. 2001. Changes in the zooplankton community of the British Columbia continental margin, 1985-1999, and their covariation with oceanographic conditions. Can. J. Fish. Aquat. Sci. 58(4):685-702.

Mackas, D.L., and Galbraith, M. 2002. Zooplankton community composition along the inner portion of Line P during the 1997-1998 El Niño event. Prog. Oceanogr. 54(1-4):423-437.

Mackas, D.L., and Tsuda, A. 1999. Mesozooplankton in the eastern and western subarctic Pacific: community structure, seasonal life histories, and interannual variability. Prog. Oceanogr. 43(2-4):335-363.

Mackas, D.M.; Galbraith, M. 2002. Zooplankton distribution and dynamics in a North Pacific eddy of coast origin: I, Transport and loss of continental species. J. Oceanogr. 58(5):725-738.

Mackas, D.L., Goldblatt, and R., Lewis, A.G. 1998. Interdecadal variation in developmental timing of *Neocalanus plumchrus* populations at Ocean Station P in the subarctic North Pacific. Can. J. Fish. Aquat. Sci. 55: 1878-1893.

MacNutt, M.J., Hinch, S.G., Farrell, A.P., and Topp, S. 2004. The effect of temperature and acclimation period on repeat swimming performance in cutthroat trout. J. Fish. Biol.65:342-353.

Makshtas, A.P., Semiletov, I.P., Pipko, I.I., Andreas, E.L., and Claffey, K.J. 2004. Carbon dioxide exchange in the coastal ocean-sea ice-atmosphere system. Eos Trans. AGU 85(17), Jt. Assem. Suppl. Abstract C43A-07.

Mantua, N.J., Hare, S.R., Zhang, Y., Wallace, J.M., and Francis, R.C. 1997. A Pacific interdecadal oscillation with impacts on salmon production. B. Am. Meterol. Soc. 78(6):1069-1079.

Mantua, N. 2002. Pacific Decadal Oscillation (PDO). pp. 592-594 in M.C. MacCracken and J.S. Perry (eds.), Volume 1, The Earth System: physical and chemical dimensions of global environmental change, Encyclopedia of Global Environmental ChangeChichester: John Wiley & Sons, Ltd.

Mantua, N. 2004. Methods for detecting regime shifts in large marine ecosystems: a review with approaches applied to North Pacific data. Prog. Oceanogr. 60(2-4):165-182.

Mantua, N. and Francis, R. C. 2004. Natural climate insurance for Pacific Northwest salmon and salmon fisheries: finding our way through the entangled web in E. E. Knudsen and D. MacDonald (eds.) Sustainable Management of the North American Fisheries. American Fisheries Society Symposium 43:127-140.

Marks, D., King, G.A., and Dolph, J. 1993. Implications of climate change for the water balance of the Columbia River Basin, USA. Clim. Res. 2:203-213.

Mason, C. 1999. The ocean's role in climate variability and change and the resulting impacts on coasts. Nat. Resour. Forum 23(2):123-134.

Mathewes, R.W. 1993. Evidence for Younger Dryas-age cooling on the North Pacific coast of America. Quaternary Sci. Rev. 12(5): 321-331.

McBean, G.A., Slaymaker, O., Northcote, T., LeBlond, P., and Parsons, T.S. 1992. Review of models for climate change and impacts on hydrology, coastal currents and fisheries in BC. Climate Change Digest, CCD 92-02, 16pp.

McConnaughey, R.A., and Armstrong, D.A. 1995. Potential effects of global climate change on Dungeness crab (*Cancer magister*) populations in the northeastern Pacific Ocean. Can. Spec. Publ. Fish. Aquat. Sci. 121(0):291-306.

McFarlane, G.A., and Beamish, R.J. 1992. Climatic influence linking copepod production with strong year-classes in sablefish, *Anoplopoma fimbria*. Can. J. Fish. Aquat. Sci. 49:743-753.

McFarlane, G.A., Smith, P.E., Baumgartner, T.R., and Hunter, J.R. 2002. Climate variability and Pacific sardine populations and fisheries. pp. 195-214 in N.A. McGinn (ed.) Fisheries in a Changing Climate. Edited by. American Fisheries Society Symposium 32. Bethesda, MD.

McFarlane, G.A., and Beamish, R.J. 2001. The re-occurrence of sardines off British Columbia characterises the dynamic nature of regimes. Prog. Oceanogr. 49(1-4):151-165.

McFarlane, G.A., King, J.R., and Beamish, R.J. 2000. Have there been recent changes in climate? Ask the fish. Prog. Oceanogr. 47(2-4):147-169.

McGowan, J.A., Cayan, D.R., and Dorman, L.M. 1998. Climate-ocean variability and ecosystem response in the Northeast Pacific. Science 281: 210-217.

McKinnell, S., Freeland, H.J., and Groulx, S.D. 1999. Assessing the northern diversion of sockeye salmon returning to the Fraser River, BC. Fish. Oceanogr. 8(2):104-114.

McKinnell, S.M., Brodeur, R.D., Hanawa, K., Hollowed, A.B., Polovina, J.J., and Zhang, C.I. 2001. An introduction to the Beyond El Niño conference: climate variability and marine ecosystem impacts from the tropics to the Arctic. Prog. Oceanogr. 49(1-4):1-6.

McKinnell, S.M., and Mackas, D.L. 2003. Intercalibrating SCOR, NORPAC and bongo nets and the consequences for decadal-scale variation in zooplankton biomass in the Gulf of Alaska. Fish. Oceanogr. 12:126-133.

McKinnell, S.M., Wood, C.C., Rutherford, D.T., Hyatt, K.D., and Welch, D.W. 2001. The demise of Owikeno Lake sockeye salmon. Nor. Am. J. Fish. Manage. 21(4):774-791.

Meeuwig, M.H., Bayer, J.M., and Seelye, J.G. 2005. Effects of temperature on survival and development of early life stage Pacific and western brook lampreys. T. Am. Fish. Soc. 134(1): 19-27.

Megrey, B.A., Bograd, S.J., Rugen, W.C., Hollowed, A.B., Stabeno, P.J., Macklin, A., Schumacher, J.D., Ingraham, W.J. 1995. An exploratory analysis of associations between biotic and abiotic factors and year-class strength of Gulf of Alaska walleye pollock (*Theragra chalcogramma*). Can. Spec. Publ. of Fish. Aquat. Sci. pp. 227-243.

Melack, J.M., Dozier, J., Goldman, C.R., Greenland, D., Milner, A.M., and Naiman, R.J. 1997. Effects of climate change on inland waters of the Pacific coastal mountains and western Great Basin of North Americain C.E. Cushing (ed.), Freshwater Ecosystems and Climate Change in North America: A Regional Assessment. John Wiley & Sons.

Melack, J.M., Dozier, J., Goldman, C.R., Greenland, D., Milner, A.M. and Naiman, R.J. 1997. Effects of climate change on inland waters of the Pacific coastal mountains and Western Great Basin of North America. Hydrol. Process. 11(8): 971-992.

Mellina, E., Moore, R.D., Shinch, S.G., Macdonald, J.S., Pearson, G. 2002. Stream temperature responses to clearcut logging in British Columbia: the moderating influences of groundwater and headwater lakes. Can. J. Fish. Aquat. Sci. 59:1886-1900.

Merrick, R.L., Chumbley, M.K., and Byrd, G.V. 1997. Diet diversity of Steller sea lions (*Eumetopias jubatus*) and their population decline in Alaska: A potential relationship. Can. J. Fish. Aquat. Sci. 54: 1342-1348.

Miller, K.A. 2000. Pacific salmon fisheries: Climate, information and adaptation in a conflict-ridden context. Climatic Change 45(1):37-61.

Minkley, B.G., and Whitney, F.A. 2001. Summary of hydrographic/CTD observations made along Line P and at Station P: 1991-1999. Can. Data Rep. Hydrogr. Ocean Sci.156:45p.

Moore, G.W.K., Holdsworth, G., and Alverson, K. 2002. Climate change in the North Pacific region over the past three centuries. Nature 420: 401-403.

Moore, R.D. 1996. Snowpack and runoff responses to climatic variability, southern coast mountains, British Columbia. Northwest Sci.40 (4): 321-332.

Moore, R.D., and Demuth, M.N. 2001. Mass balance and streamflow variability at Place Glacier, Canada, in relation to recent climate fluctuations. Hydrol. Process. 15: 3473-3486.

Moore, R.D., and McKendry, I.G. 1996. Spring snowpack anomaly patterns and winter climatic variability, British Columbia, Canada. Water Resour. Res. 32(3): 623-632.

Morrison, J., Quick, M.C., and Foreman, M.G.G. 2002. Climate change in the Fraser River watershed: flow and temperature projections. J. Hydrol. 263(1-4):230-244.

Mote, P. W. 2003. Twentieth-century fluctuations and trends in temperature, precipitation, and mountain snowpack in the Georgia basin-Puget sound region. Can. Water Resour. J. 28(4):567-585.

Mote, P.W., Parson, E.A., Hamlet, A.F., Keeton, W.S., Lettenmaier, D., Mantua, N., Miles, E.L., Peterson, D.W., Peterson, D.L., Slaughter, R., and Snover, A.K. 2003. Preparing for climatic change: the water, salmon, and forests of the Pacific Northwest. Climatic Change 61(1):45-88.

Motyka, R.J., Neel, S.O., Connor, C.L., and Echelmeyer, K.A. 2003. Twentieth century thinning of Mendenhall Glacier, Alaska, and its relationship to climate, lake calving, and glacier run-off. Global Planet. Change 35(1-2):93-112.

Mueter, F.J., Ware, D.M., and Peterman, R.M. 2002. Spatial correlation patterns in coastal environmental variables and survival rates of salmon in the north-east Pacific Ocean. Fish. Oceanogr. 11(4): 205-218.

Mueter, F.J., Peterman, R.M., and Pyper, B.J. 2002. Opposite effects of ocean temperature on survival rates of 120 stocks of Pacific salmon (*Oncorhynchus* spp.) in northern and southern areas. Can. J. Fish. Aquat. Sci. 59(3):456-463.

Mueter, F.J., Pyper, B.J., Peterman, R.M. 2005. Relationships between coastal ocean conditions and survival rates of northeast Pacific salmon at multiple lags. T. Am. Fish. Soc. 134(1):105-119.

Mullin, M.M., Goetze, E., Beaulieu, S.E., and Lasker, J.M. 2000. Comparisons within and between years resulting in contrasting recruitment of Pacific hake (*Merluccius productus*) in the California Current System. Can. J. Fish. Aquat. Sci. 57(7): 1434-1447.

Murray, C.B., and McPhail, J.D. 1988. Effect of incubation temperature on the development of five species of Pacific salmon (*Oncorhynchus*) embryos and alevins. Can. J. Zoolog.66: 266-273.

Murray, C.B., Beacham, T.D., and McPhail, J.D. 1990. Influence of parental stock and incubation temperature on the early development of coho salmon (*Oncorhynchus kisutch*) in British Columbia. Can. J. Zoolog. 68:347-358.

Mysak, L.A. 1986. El Niño, interannual variability and fisheries in the northeast Pacific Ocean. Can. J. Fish. Aquat. Sci. 43: 464-497.

Nakamura, H., and Kazmin, A.S. 2003. Decadal changes in the North Pacific oceanic frontal zones as revealed in ship and satellite observations. J. Geophys. Res. 108(C3): 3078.

Neitzel, D.A., Scott, M.J., Shankle, S.A., and Chatters, J.C. 1991. The effect of climate change on stream environments: The salmonid resource of the Columbia River Basin. Northwest Environ. J. 7(2):271-294.

Newton, J.A. 2003. Oceanographic changes in Puget Sound and the Strait of Juan de Fuca during the 2000-01 drought. Can. Water Resour. J. 28(4):715-728.

Niebauer, H.J., Bond, N.A., Yakunin, L.P., and V.V. Plotnikov. 1999. An update on the climatology and sea ice of the Bering Sea. pp. 29-59 in T.R. Loughlin and K. Ohtani (eds.) Dynamics of the Bering Sea. Fairbanks, Alaska, University of Alaska Sea Grant.

Noakes, D.J., Beamish, R.J., Sweeting, R., and King, J. 2000. Changing the balance: Interactions between hatchery and wild Pacific coho salmon in the presence of regime shiftspp. 155-163 in J.H. Helle, Y. Ishida, D. Noakes, and V. Radchenko (eds.). Bulletin Number 2. Recent changes in ocean production of Pacific salmon. North Pacific Anadromous Fisheries Commission, Vancouver, BC.

Noakes, D.J., and Campbell, A. 1992. Use of geoduck clams to indicate changes in the marine environment of Ladysmith Harbor, British Columbia. Environmetrics 3(1):81-97.

Nott, M.P., DeSante, D.F., Siegel, R.B. and Pyle, P. 2002. Influences of the El Niño/Southern Oscillation and the North Atlantic Oscillation on avian productivity in forests of the Pacific Northwest of North America. Global Ecol. Biogeogr.11:333-342.

Overland, J.E., Adams, J.M., and Mofjeld, H.O. 2000. Chaos in the North Pacific: spatial modes and temporal irregularity. Prog. Oceanogr. 47(2-4):337-354.

Whitfield, P.H., Reynolds, C.J., and Connon, A.J. 2002. Modelling streamflow in present and future climates: examples from the Georgia basin, British Columbia. Can. Water Resour. J. 27: 427-456.

Parker, K.S., Royer, T.C., and Deriso, R.B. 1995. High-latitude climate forcing and tidal mixing by the 18.6-year lunar nodal cycle and low-frequency recruiting trends in Pacific halibut (*Hippoglossus stenolepis*). Can. Spec. Publ. Fish. Aquat. Sci. 121:447-459.

Parson, E.A., Carter, L., Anderson, P., Wang, B., Weller, G., and National Assessment Synthesis Team. 2001. Potential Consequences of Climate Variability and Change for Alaska. Chapter 10, pp. 283-312 in Climate Change Impacts on the United States: The Potential Consequences of Climate Variability and Change. Report for the US Global Change Research Program. Cambridge, UK, Cambridge University Press.

Pellatt, M.G., and Mathewes, R.W. 1997. Holocene tree line and climate change on the Queen Charlotte Islands, Canada. Quaternary Res. 48(1): 88-99.

Pellatt, M.G., Smith, M.J., Mathewes R.W., and Walker, I. 2000. Holocene treeline and climate change in the subalpine zone near Stoyoma Mountain, Cascade Mountains, southwestern British Columbia, Canada. Arct. Antarct. Alp. Res. 32(1): 73-83.

Perry, R.I., Boutillier, J.A., and Foreman, M.G.G. 2000. Environmental influences on the availability of smooth pink shrimp, *Pandalus jordani*, to commercial fishing gear off Vancouver Island, Canada. Fish. Oceanogr. 9(1): 50-61.

Peterman, R.M., Pyper, B.J., and Grout, J.A. 2000. Comparison of parameter estimation methods for detecting climate-induced changes in productivity of Pacific salmon. Can. J. Fish. Aquat. Sci. 57(1): 181-191.

Peterman, R.M.; Pyper, B.J.; Lapointe, M.F.; Adkinson, M.D.; Walters, C.J. 1998. How related are environmental sources of variation for British Columbia and Alaska sockeye salmon? pp. 25-26 in K. Meyers (ed.). Workshop on Climate Change and Salmon Production. North Pacific Anadromous Fish Commission Technical Report

Peterman, R.M., Pyper, B.J., Lapointe, M.F., Adkinson, M.D., and Walters, C.J. 1998. Patterns of covariation in survival rates of British Columbian and Alaskan sockeye salmon (*Oncorhynchus nerka*) stocks. Can. J. Fish. Aquat. Sci. 55(11):2503-2517.

Peterman, R.M., Pyper, B.J., and MacGregor, B.W. 2003. Use of the Kalman filter to reconstruct historical trends in productivity of Bristol Bay sockeye salmon (*Oncorhynchus nerka*). Can. J. Fish. Aquat. Sci. 60(7):809-824.

Petersen, J.H., and Kitchell, J.F. 2001. Climate regimes and water temperature changes in the Columbia River: bioenergetic implications for predators of juvenile salmon. Can. J. Fish. Aquat. Sci. 58: 1831-1841.

Peterson, W.T. and Mackas, D.L. 2001. Shifts in zooplankton abundance and species composition off central Oregon and southwestern British Columbia. PICES Press 9(2):28-31.

Pierce, D.W. 2001. Distinguishing coupled ocean–atmosphere interactions from background noise in the North Pacific. Prog. Oceanogr. 49(1-4): 331-352.

Polovina, J.J., Mitchum, G.T., and Evans, G.T. 1995. Decadal and basin-scale variation in mixed layer depth and the impact on biological production in the central and North Pacific, 1960-1988. Deep-Sea Res. Part I: Oceanographic Research Papers 42(10):1201-1716.

Polovina, J.J., Howell, E., Kobayashi, D.R., and Seki, M.P. 2001. The transition zone chlorophyll front, a dynamic global feature defining migration and forage habitat for marine resources. Prog. Oceanogr. 49(1-4):469-483.

Pyper, B.J., Mueter, F.J., and Peterman, R.M. 2005. Across-species comparisons of spatial scales of environmental effects on survival rates of Northeast Pacific salmon. T. Am. Fish. Soc. 134(1):86-104.

Pyper, B.J., Mueter, F.J., Peterman, R.M., Blackbourn, D.J., and Wood, C.C. 2001. Spatial covariation in survival rates of Northeast Pacific pink salmon (*Oncorhynchus gorbuscha*). Can. J. Fish. Aquat. Sci. 58:1501-1515.

Pyper, B.J., and Peterman, R.M. 1999. Relationship among adult body length, abundance, and ocean temperature for British Columbia and Alaska sockeye salmon. Can. J. Fish. Aquat. Sci. 56(10):1716-1720.

Quinn, T.P., and Adams, D.J. 1996. Environmental changes affecting the migratory timing of American shad and Sockeye salmon. Ecology 77(4): 1151-1162.

Quinn, T.P., Hodgson, S., and Peven, C. 1997. Temperature, flow, and the migration of adult sockeye salmon (*Oncorhynchus nerka*) in the Columbia River. Can. J. Fish. Aquat. Sci. 54: 1349-1360.

Quinn, T.P., Hodgson, S., and Peven, C. 1997. Temperature, flow, and the migration of adult sockeye salmon (*Oncorhynchus nerka*) in the Columbia River. Can. J. Fish. Aquat. Sci. 54:1349-1360.

Reece, P.F., Reynoldson, T.B., Richardson, J.S., Rosenberg, D.M. 2001. Implications of seasonal variation for biomonitoring with predictive models in the Fraser River catchment, British Columbia. Can. J. Fish. Aquat. Sci. 58(7):1411-1417.

Reynoldson, T.B., Rosenberg, D.M., and Resh, V.H. 2001. Comparison of models predicting invertebrate assemblages for biomonitoring in the Fraser River catchment, British Columbia. Can. J. Fish. Aquat. Sci. 58(7): 1395-1410.

Ricker, W.E. 1995. Trends in the average size of Pacific salmon in Canadian catches. pp. 593-602 in R.J. Beamish (ed.), Climate Change and Northern Fish Populations, Can. Spec. Publ. Fish. Aquat. Sci. 121.

Robards, M.D., and Quinn, T.P. 2002. The migratory timing of adult summer-run steelhead in the Columbia River over six decades of environmental change. T. Am. Fish. Soc. 131: 523-536.

Robinson, C.K.L. and Ware, D.M. 1999. Simulated and observed response of the southwest Vancouver Island pelagic ecosystem to oceanic conditions in the 1990s. Can. J. Fish. Aquat. Sci. 56(12):2433-2443.

Rodríguez-Sánchez, R., Lluch-Belda, D., Villalobos, H., and Ortega-Garcia, S. 2002. Dynamic geography of small pelagic fish populations in the California Current System on the regime time scale (1931–1997). Can. J. Fish. Aquat. Sci. 59(12): 1980-1988.

Rooper, C. N., Haldorson, L.J., and Quinn, T.J. 1999. Habitat factors controlling Pacific herring (*Clupea pallasi*) egg loss in Prince William Sound, Alaska. Can. J. Fish. Aquat. Sci. 56(6):1133-1142.

Rosenau, M.L. and Angelo, M. 2003. Conflicts between People and fish for water: Two British Columbia salmon and steelhead rearing streams in need of flow. Pacific Fisheries Resource Conservation Council, Vancouver, BC. 91pp.

Rosenfeld, J., Porter, M., and Parkinson, E. 2000. Habitat factors affecting the abundance and distribution of juvenile cutthroat trout (*Oncorhynchus clarki*) and coho salmon (*Oncorhynchus kisutch*). Can. J. Fish. Aquat. Sci. 57(4):766-774.

Routledge, R.D., and Irvine, J.R. 1999. Chance fluctuations and the survival of small salmon stocks. Can. J. Fish. Aquat. Sci. 56(8):1512-1519.

Royer, T.C., Grosch, C.E., and Mysak, L.A. 2001. Interdecadal variability of Northeast Pacific coastal freshwater and its implications on biological productivity. Prog. Oceanogr. 49(1-4):95-111.

Ruhl, H.A., and Smith Jr., K.L. 2004. Shifts in deep-sea community structure linked to climate and food supply. Science 305(5683):513-515.

Ryder, J.M. 1998. Geomorphological processes in alpine areas of Canada: the effects of climate change and their impacts on human activities. Geological Survey of Canada, Bulletin 524: 44pp.

Sabine, C.L., Feely, R.A., Key, R.M., Bullister, J.L., Millero, F.J., Lee, K., Peng, T.-H., Tilbrook, B., Ono, T., and Wong, C.S. 2002. Distribution of anthropogenic CO_2 in the Pacific Ocean. Global Biogeochem. Cy. 16(4): 1083.

Saenko, O.A., Schmittner, A., and Weaver, A.J. 2004. The Atlantic-Pacific seesaw. J. Climate 17(11):2033-2038.

Sagarin, R., and Micheli, M. 2001. Climate change in nontraditional data sets. Science 294: 811.

Sanford, E. 1999. Regulation of keystone predation by small changes in ocean temperature. Science 283: 2095-2097.

Sathyendranath, S., Platt, T., Irwin, B., Horne, E., Borstad, G.A., Stuart, V., Payzant, L., Maas, H., Kepkay, P., Li, W.K.W., Spry, J., and Gower, J.F.R. 2004. A multispectral remote sensing study of waters off Vancouver Island. Int. J. Remote Sens. 25(5):893-919.

Satterfield, F.R., and Finney, B.P. 2002. Stable isotope analysis of Pacific salmon: insight into trophic status and oceanographic conditions over the last 30 years. Prog. Oceanogr. 53(2-4):231-246.

Schindler, D.W. 2001. The cumulative effects of climate warming and other human stresses on Canadian freshwaters in the new millennium. Can. J. Fish. Aquat. Sci. 58: 18–29.

Schweigert, J.F. 1995. Environmental effects on long-term population dynamics and recruitment to Pacific herring (*Clupea pallasi*) populations in southern British Columbia. pp. 569-583 in R.J. Beamish (ed.) Climate Change and Northern Fish Populations.. Can. Spec. Publ. Fish. Aquat. Sci. 121.

Shabbar, A., Bonsal, B., and Khandekar, K. 1997. Canadian precipitation patterns associated with the Southern Oscillation. J. Climate 10(12):3016-3027.

Shaw, J., R.B. Taylor, D.L. Forbes, S. Solomon, D. Frobel, G. Parkes, and C.T. O'Reilly. 1998. Climate change & the Canadian coast. Geological Survey of Canada, Contribution Series 1998084. 9pp.

Shaw, J., Taylor, R.B., Solomon, S., Christian, H., and Forbes, D.L. 1998. Potential impacts of global sea level rise on Canadian coasts. Can. Geogr.-Geogr. Can. 42(4):365-379.

Shea, E.L.A., and Dyoulgerov, M.F. 1997. Responding to climate variability and change: opportunities for integrated coastal management in the Pacific Rim. Ocean Coast. Manage. 37:1.

Shelden, K.E.W., Rugh, D.J., and Schulman-Janiger, A. 2004. Gray whales born north of Mexico: indicator of recovery or consequence of regime shift? Ecol. Appl. 14(6): 1789-1805.

Shillington, T. 1996. Understanding our changing planet: an overview of global change research in Canada. Ottawa, Ontario. The Royal Society of Canada.

Shirvell, C.S. 1994. Effect of changes in streamflow on the microhabitat use and movements of sympatric juvenile coho salmon (*Oncorhynchus kisutch*) and chinook salmon (*O. tshawytscha*) in a natural stream. Can. J. Fish. Aquat. Sci. 51(7): 1644-1652.

Signorini, S.R., McClain, C.R., Christian, J.R., and Wong, C.S. 2001. Seasonal and interannual variability of phytoplankton, nutrients, TCO2, pCO2, and O2 in the eastern subarctic Pacific (ocean weather station Papa). J. Geophys. Res. Oceans 106(C12):31197–31215.

Slaymaker, O. 1990. Climate change and erosion processes in mountain regions of western Canada. Mt. Res. Dev. 10(2): 171-182.

Smith, B.D. 2000. Trends in wild adult steelhead (*Oncorhynchus mykiss*) abundance for snowmelt-driven watersheds of British Columbia in relation to freshwater discharge. Can. J. Fish. Aquat. Sci. 57(2):285-297.

Smith, B.D., and Ward, B.R. 2000. Trends in wild adult steelhead (*Oncorhynchus mykiss*) abundance for coastal regions of British Columbia support the variable marine survival hypothesis. Can. J. Fish. Aquat. Sci. 57(2):271-284.

Smith, C.L., Hill, A.E., Foreman, M.G.G., and Pena, M.A. 2001. Horizontal transport of marine organisms resulting from interactions between diel vertical migration and tidal currents off the west coast of Vancouver Island. Can. J. Fish. Aquat. Sci. 58(4):736-748.

Smith, R.L., Huyer, A., and Fleischbein, J. 2001. The coastal ocean off Oregon from 1961 to 2000: is there evidence of climate change or only of Los Niños? Prog. Oceanogr. 49(1-4):63-93.

Smittenberg, R.H., Hopmans, E.C., Schouten, S., Hayes, J.M., Eglinton, T.I., and Sinninghe Damsté, J.S. 2004 Compound-specific radiocarbon dating of the varved Holocene sedimentary record of Saanich Inlet, Canada. Paleoceanogr. 19, PA2012.

Snover, M.L., Watters, G.M., and Mangel, M. 2005. Interacting effects of behavior and oceanography on growth in salmonids with examples for coho salmon (*Oncorhynchus kisutch*). Can. J. Fish. Aquat. Sci. 62(6): 1219-1230.

Stabeno, P.J., Bond, N.A., Hermann, A.J., Mordy, C.W., and Overland, J.E. 2001. Meteorology and Oceanography of the Northern Gulf of Alaska. Cont. Shelf. Res. 24(7-8):859-897.

Standen, E.M., Hinch, S.G., Healey, M.C., and Farrell, A.P. 2002. Energetic costs of migration through the Fraser River Canyon, British Columbia, in adult pink (*Oncorhynchus gorbuscha*) and sockeye (*Oncorhynchus nerka*) salmon as assessed by EMG telemetry. Can. J. Fish. Aquat. Sci. 59(11): 1809-1818.

Steele, J.H. 1998. From carbon flux to regime shift. Fish. Oceanogr. 7(3/4):176-181.

Stillman, J.H., and Somero, G.N. 1996. Adaptation to temperature stress and aerial exposure in congeneric species of intertidal porcelain crabs (genus Petrolisthes): Correlation of physiology, biochemistry and morphology with vertical distribution. J. Exp. Biol. 199(8):3239-3251.

Strickland, R., and Sibley, T. 1984. Projected effects of CO2-Induced Climate Change on the Alaska Pollock (*Theragra chalcogramma*) Fishery in the Eastern Bering Sea and Gulf of Alaska. University of Washington, School of Fisheries, 112pp.

Strom, A., Francis, R.C., Mantua, N.J., Miles, E.L., and Peterson, D.L. 2004. North Pacific climate recorded in growth rings of geoduck clams: A new tool for paleoenvironmental reconstruction. Geophys. Res. Lett. 31, L06206.

Strub, P.T., Batchelder, H.P., and Weingartner, T.J. 2002. U.S. GLOBEC Northeast Pacific Program: Overview. Oceanography 15(2):30-35.

Strub, P.T., and James, C. 2002. The 1997-1998 oceanic El Niño signal along the southeast and northeast Pacific boundaries-an altimetric view. Prog. Oceanogr. 54(1-4):439-458.

Subbotina, M.M., Thomson, R.E., and Rabinovich, A.B. 2001. Spectral characteristics of sea level variability along the west coast of North America during the 1982–83 and 1997–98 El Niño events. Prog. Oceanogr. 49(1-4):353-372.

Sugimoto, T., and Tadokoro, K. 1989. Interdecadal variations of plankton biomass and physical environment in the North Pacific. Fish. Oceanogr. 7(3/4):289-299.

Sydeman, W.J., Hester, M.M., Thayer, J.A., Gress, F., Martin, P., and Buffa, J. 2001. Climate change, reproductive performance and diet composition of marine birds in the southern California Current system, 1969–1997. Prog. Oceanogr. 49(1-4):309-329.

Tabata, S., and Brown, R.M. 1994. Hydrographic/CTD observations made during the Ocean Climate Monitoring Study: 1981-1991 - A summary of the operational phase of the study. Can. Data Rep. Hydrogr. Ocean Sci. 136, 42pp.

Tanasichuk, R.W. 1997. Influence of biomass and ocean climate on the growth of Pacific herring (*Clupea pallasi*) from the southwest coast of Vancouver Island. Can. J. Fish. Aquat. Sci. 54:2782-2788.

Tanasichuk, R.W. 1999. Interannual variation in the availability and utilization of euphausiids as prey for Pacific hake (*Merluccius productus*) along the south-west coast of Vancouver Island. Fish. Oceanogr. 8(2):150-156.

Tanasichuk, R.W. 2002. Implications of interannual variability in euphausiid population biology for fish production along the south-west coast of Vancouver Island: a synthesis. Fish. Oceanogr. 11(1):18-30.

Tang, Y., and Hsieh, W.W. 2003. Nonlinear modes of decadal and interannual variability of the subsurface thermal structure in the Pacific. J. Geophys. Res. 108(C3):3084.

Taylor, E. 1997 Impacts of future climate change on the Lower Fraser Valley of British Columbia.Chapter 19 in E. Taylor and B. Taylor (eds.).Canada Country Study: Responding to Global Climate Change in British Columbia and Yukon. Volume I of the Canada Country Study: Climate Impacts and Adaptation. Environment Canada, Vancouver, B.C.

Thorne, R.E., and Ames, J.J. 1987. A note on variability of marine survival of sockeye salmon (*Oncorhynchus nerka*) and effects of flooding on spawning success. Can. J. Fish. Aquat. Sci. 44(10):1791-1795.

Tolimieri, N., and Levin, P. 2004. Differences in responses of chinook salmon to climate shifts: Implications for conservation. Env. Biol. Fish. 70(2): 155-167.

Topliss, B. 2002. Understanding long-term ocean climate variability: Do fish listen to gossip? pp. 107-111 in F. McLaughlin, C. Gobeil, D. Monahan and M. Chadwick (eds.). Proceedings of the First Annual National Science Workshop, Department of Fisheries and Oceans, Sidney, BC. Can. Tech. Rep. Fish. Aquat. Sci. 2403.

Trenberth, K.E. 2003. The El Niño Southern Oscillation (ENSO) system. pp. 163-173 in T.D. Potter and B.R. Coleman (eds.), Handbook of Weather, Climate and Water: Climate, Physical Meteorology, Weather Systems and Measurements. John Wiley & Sons.

Trenberth, K.E., and Hoar, T.J. 1996. The 1990-95 El Niño-Southern Oscillation event: longest on record. Geophys. Res. Lett. 23: 57-60.

Trenberth, K.E., and Hurrell, J.W. 1994. Decadal atmostphere-ocean variations in the Pacific. Clim. Dynam. 9(6): 303-319.

Trenberth, K.E., and Hurrell, J.W. 1995. Decadal coupled atmosphere-ocean variations in the North Pacific Ocean pp.15-24 in R.J. Beamish (ed.), Climate Change and Northern Fish Populations. Can. Spec. Publ. of Fish. Aquat. Sci. 121.

Trenberth, K.E., and Hoar, T.J. 1997. El Niño and climate change. Geophys. Res. Lett. 24: 3057-3060.

Trites, A.W., and Donnelly, C.P. 2003. The decline of Stellar sea lions *Eumetopias jubatus* in Alaska: a review of the nutritional stress hypothesis. Mammal Rev. 33:3-28.

Trudel, M., Tucker, S., Zamon, M., Morris, J.F.T., Higgs, D.A., and Welch, D.W. 2002. Bioenergetic response of coho salmon to climate change. NPAFC Tech. Rep. 4:59-61.

Tschaplinski, P.J. 2000. The effects of forest harvesting, fishing, climate variation, and ocean conditions on salmonid populations of Carnation Creek, Vancouver Island, British Columbia. pp. 297-327 in C. Cushing (ed.), Sustainable Fisheries Management: Pacific Salmon. New York: Lewis Publishers.

Tyedmers, P.H., and Ward, B.R. 2001. A review of the impacts of climate change on BC's freshwater fish resources and possible management responses. The Fisheries Centre, University of British Columbia, 12pp.

Tyler, A.V. 1995. Warmwater and cool-water stocks of Pacific cod (*Gadus macrocephalus*): a comparative study of reproductive biology and stock dynamics. pp. 537-545 in R.J. Beamish (ed.), Climate Change and Northern Fish Populations, Can. Spec. Publ. Fish. Aquat. Sci. 121.

U.S. GLOBEC, Scientific Steering Coordinating Office. 1992. Eastern Boundary Program: Report on Climate Change and the California Current Ecosystem. Report Number 7. U.S. GLOBEC, Global Ocean Ecosystems Dynamics. A Component of the U.S. Global Change Research Program, Eastern Boundary Current Program. Workshop, Sept. 17-20, 1991, Bodega Marine Laboratory, University of California.

U.S. GLOBEC, Scientific Steering Coordinating Office. 1994. Eastern Boundary Current Program: A Science Plan for the California Current. U.S. Global Ocean Ecosystems Dynamics Report Number 11. U.S. GLOBEC, Global Ocean Ecosystems Dynamics. A Component of the U.S. Global Change Research Program, Eastern Boundary Current Program. Workshop held January 1993, San Francisco.

US GLOBEC. 1996 Report on Climate Change and Carrying Capacity of the North Pacific Ecosystem. U.S. Global Ocean Ecosystems Dynamics. Report Number 15.
U.S.GLOBEC, Global Ocean Ecosystems Dynamics. A Component of the U.S. Global Change Research Program, Eastern Boundary Current Program. Workshop held 19-20 April 1995, Seattle, WA.

US GLOBEC. 1996 North Pacific Climate Change and Carrying Capacity (CCCC) Science Plan. U.S. Global Ocean Ecosystems Dynamics. Report Number 16. U.S. GLOBEC, Global Ocean Ecosystems Dynamics. A Component of the U.S. Global Change Research Program, Eastern Boundary Current Program. Workshop held 31 January - 2 February 1996, Seattle, WA.

Vasiliades, L., Dalezios, N.R., and Loukas, A. 2002. Potential climate change impacts on flood producing mechanisms in southern British Columbia, Canada using the CGCMA1 simulation results. J. Hydrol. 259: 163-188.

Vitt, D.H., Halsey, L.A., and Zoltai, S.C. 1994. The bog landforms of continental western Canada, relative to climate and permafrost patterns. Arctic Alpine Res. 26(1):1.

Wade, N.L., Martin, J., and Whitfield, P.H. 2001. Hydrologic and climatic zonation of Georgia Basin, British Columbia. Can. Water Resour. J. 26(1):4-70.

Walker, I.R., and Pellatt, M.G. 2003. Climate change in coastal British Columbia - a paleoenvironmental perspective. Can. Water Resour. J. 28(4):531-566.

Walters, C. 1997. Challenges in adaptive management of riparian and coastal ecosystems. Conserv. Ecol. 1(2):1-23.

Walters, C., and Ward, B. 1998. Is solar radiation responsible for declines in marine survival rates of anadromous salmonids that rear in small streams? Can. J. Fish. Aquat. Sci. 55(12):2533-2538.

Ward, B.R., and Tyedmers, P. 2002. Impacts of climate change on B.C.'s freshwater fish resources and possible management response. p. 288 in N.A. McGinn (ed.). Fisheries in a Changing Climate. American Fisheries Society Symposium 32. Bethesda, MD.

Ware, D.M. 1995. A century and a half of change in the climate of the NE Pacific. Fish. Oceanogr. 4(4):267-277.

Ware, D.M., and McFarlane, G.A. 1989. Fisheries production domains in the Northeast Pacific Ocean. pp. 359-379 in R.J. Beamish, G.A. McFarlane (eds.). Effects of ocean variability on recruitment and an evaluation of parameters used in stock assessment models. Can. Spec. Publ. Fish. Aquat. Sci. 108.

Ware, D.M., and McFarlane, G.A. 1995. Climate-induced changes in Pacific hake (*Merluccius productus*) abundance and pelagic community interactions in the Vancouver Island upwelling system. pp. 509-521 in R.J. Beamish (ed.) Climate Change and Northern Fish Populations. Can. Spec. Publ. Fish. Aquat. Sci. 121.

Ware, D.M., and Thomson, R.E. 2000. Interannual to multidecadal timescale climate variations in the Northeast Pacific. J. Climate 13(18):3209-3220.

Ware, D.M., and Thomson, R.E. 1991. Link between long-term variability in upwelling and fish production in the northeast Pacific Ocean. Can. J. Fish. Aquat. Sci. 48(12):2296-2306.

Watanabe, M., and Nitta, T. 1999. Decadal changes in the atmospheric circulation and associated surface climate variations in the northern hemisphere winter. J. Climate 12(2): 494-510.

Waylen, P., and Woo, M.-K. 1983. Annual floods in southwestern British Columbia. Can. J. Hydrol. 62(1-4): 95-105.

Weber, G.R. 1990. North Pacific circulation anomalies, El Niño and anomalous warmth over the North American continent in 1986-1988: possible causes of the 1988 North American drought. Int. J. Climatol. 10: 279-289.

Welch, D.W., and Batten, S. 2000. Climate change, global warming, and the PICES mandate - The need for improved monitoring. PICES Press 8(1): 24-27.

Welch, D.W., Ward, B.R., Smith, B.D., and Eves, J.P. 2000. Temporal and spatial responses of British Columbia Steelhead (*Oncorhynchus mykiss*) populations to ocean climate shifts. Fish. Oceanogr. 9(1): 17-32.

Welch, D.W., Ward, B.R., Smith, B.D., and Whitney, F. 1997. Changes associated with the 1989-90 ocean climate shift, and effects on British Columbia steelhead (*O. mykiss*) populations. Pacific Stock Assessment Review Committee Working Paper S97-7.

Welch, D.W., Ishida, Y., and Nagasawa, K. 1998. Thermal limits and ocean migrations of sockeye salmon (*Oncorchynchus nerka*): long-term consequences of global warming. Can. J. Fish. Aquat. Sci. 55:937-948.

Welch, D.W., Ishida, Y., and Nagasawa, K. 1998. Erratum: Thermal limits and ocean migrations of sockeye salmon (*Oncorhynchus nerka*): long-term consequences of global warming. Can. J. Fish. Aquat. Sci. 55(8): 1996.

Welch, D.W., Chigirinsky, A.I., and Ishida, Y. 1995. Upper thermal limits on the oceanic distribution of Pacific salmon (*Oncorhynchus* spp.) in the spring. Can. J. Fish. Aquat. Sci. 52(3):489-503.

Welch, D.W., Ishida, Y., Nagasawa, K., and Eveson, J.P. 1998. Thermal limits on the ocean distribution of steelhead trout (*Oncorhynchus mykiss*). NPAFC Bull. 1:396-404.

Welch, D.W., Trudel, M., Zamon, J., Morris, J., and Thiess, M. 2002. Potential interrelationships between patterns of migration and marine survival in Pacific salmon. NPAFC Tech. Rep. 4:62-64.

Welch, D.W., and Ishida, Y. 1993. On the statistical distribution of salmon in the sea: application of the negative binomial distribution, and the influence of sampling effort. Can. J. Fish. Aquat. Sci. 50(5):1029-1038.

Weston, S., Guthrie, R., and McTaggart-Cowan, J. 2003. The vulnerability of lower Englishman River to modelled climate change. Can. Water Resour. J. 28(4):657-672.

Wetzel, P., Winguth, A., and Maier-Reimer, E. 2005. Sea-to-air CO2 flux from 1948 to 2003: a model study. Global Biogeochem. Cy. 19, GB2005.

White, W. B., Tourre, Y.M., Barlow, M., Dettinger, M. 2003. A delayed action oscillator shared by biennial, interannual, and decadal signals in the Pacific Basin. J. Geophys. Res. 108(C3):3070.

Whitfield, P.H. 2001. Linked hydrologic and climate variations in British Columbia and Yukon. Environ. Monit. Assess.67: 217-238.

Whitney, F.A., and Freeland, H.J. 1999. Variability in upper-ocean water properties in the NE Pacific Ocean. Deep-Sea Res. Pt. II: Topical Studies in Oceanography 46(11-12):2351-2370.

Wilson, S., Cumming, B.F., Pienitz, R., Smol, J.P., Leavitt, P.R., and Heinrichs, M. 1996. Tracking climatic and other environmental changes in closed-basin lakes from western Canada: The PISCES II project. Symposium on Climatic Variations and Biodiversity Change during the Last Millenium. Geological Survey of Canada. Ottawa, ON.

Wong, A.P.S., Bindoff, N. L., and Church, J.A. 1999. Large-scale freshening of intermediate waters in the Pacific and Indian oceans. Nature 400: 440-443.

Wong, C.S., Whitney, F.A., Iseki, K., Page, J., and Zeng, J. 1995. Analysis of trends in primary production and chlorophyll-a over two decades at Ocean Station P (50°N, 145°W) in the subarctic Northeast Pacific Ocean. pp. 107-117. In R.J. Beamish (Ed.) Climate Change and Northern Fish Populations. Edited by R.J. Beamish. Can. Spec. Publ. Fish. Aquat. Sci. 121.

Wong, C.S.; Crawford, D.W. 2002. Fluxes of particulate inorganic and organic carbon to the deep subarctic Pacific correlates with El Niño. Deep-Sea Res. Pt. II: Topical Studies in Oceanography 49(24-25):5297-5808.

Wong, C.S., Waser, N.A.D., Nojiri, Y., Johnson, W., Keith, M., Whitney, F.A., Page, J.S.C., Zeng, J. 2002. Seasonal and interannual variability in the distribution of surface nutrients and dissolved inorganic carbon in the northern North Pacific: Influence of El Niño. J. Oceanogr. 58(2):227-243.

Wooster, W.S., and Zhang, C.I. 2004. Regime shifts in the North Pacific: early indications of the 1976–1977 event. Prog. Oceanogr. 60(2-4):183-200.

Wu, J.Q., and Hsieh, W.W. 1999. A modelling study of the 1976 climate regime shift in the North Pacific Ocean. Can. J. Fish. Aquat. Sci. 56:2450-2462.

Yeh, S-W., Kirtman, P.P. 2003. On the relationship between the interannual and decadal SST variability in the North Pacific and tropical Pacific Ocean. J. Geophys. Res. 108(D11):4344.

Yin, K.D., Harrison, P.J., and Beamish, R.J. 1997. Effects of a fluctuation in Fraser River discharge on primary production in the central Strait of Georgia, British Columbia, Canada. Can. J. Fish. Aquat. Sci. 54(5): 1015-1024.

Yin, Y. 2001. Designing an integrated approach for evaluating adaptation options to reduce climate change vulnerability in the Georgia Basin. Environment Canada & University of British Columbia. 52pp. Adaptation and Impacts Research Group (AIRG)/Environment Canada, and Sustainable Development Research Institute, University of British Columbia (UBC).

Yonetani, T., and Gordon, H.B. 2001. Abrupt changes as indicators of decadal climate variability. Clim. Dynam. 17(4):249-258.

Zhang, X., Hogg, W.D., and Mekis, E. 2001. Spatial and Temporal Characteristics of Heavy Precipitation Events over Canada. J. Climate 14(9): 1923-1936.

Zhang, Y., Wallace, J.M., and Battisti, D.S. 1997. ENSO-Like Interdecadal Variability: 1900-93. J. Climate 10: 1004-1020.

CONFERENCE AND WORKSHOP PROCEEDINGS

Air & Waste Management Association, in co-operation with Capital Regional District of Victoria (CRD), BC Ministry of Water, Land and Air Protection, and Canadian Climate Impacts and Adaptation Research Network. 2004. Adapting to Climate Change in the Coastal Pacific Northwest: Challenges for Ecosystems, Communities, Industries and Institutions. Victoria Conference Centre, Victoria, BC, May 23, 2003. Air & Waste Management Association, 67p.

Alimchandani, S. 1992. Climate change and arctic hydrology. Alaska water issues: Fairbanks, American Water Resources Association, Alaska Section. Presented at the AWRA Alaska Section annual meeting, April 9-10, 1992.

Anderson, J.J. 1998. Decadal climate cycles and declining Columbia River salmon. Sustainable Fisheries Conference Proceedings, Victoria, B.C., April 26-30, 1996.

Anderson, P., and Weller, G. 1996. Preparing for an Uncertain Future: Impacts of Short- and Long-Term Climate Change on Alaska. Proceedings of a Workshop held during the Arctic Science Conference, Fairbanks, Alaska, September 1995.

ANON. 2000. Sustainable Seafood in a Changing Climate. Workshop Report. University of Victoria, May 25-26, 2000.

ANON. 2004. Weather, Climate and the Future: BC's Plan. BC Ministry of Water, Land and Air Protection, Victoria, BC.

ANON. 2004. Climate Impacts on Salmon Management and Recovery in the Columbia River Basin: Summary of Afternoon Discussion Sessions. Climate Impacts Group, University of Washington, September 21, 2004 Portland, OR.

ANON. 1999. Proceedings: Pacific Fisheries Resource Conservation Council: Climate Change and Salmon Stocks. Conference: Climate Change and Salmon Stocks. 27 Oct. 1999. SFU Harbour Centre, Vancouver. The Council, Vancouver, BC. 37pp.

Bakun, A., and Broad, K. (eds.). 2002. Climate and fisheries: Interacting paradigms, scales, and policy approaches. The IRI-IPRC Pacific Climate-Fisheries Workshop. Honolulu, November14-17, 2001.

Batchelder, H.P. 2001. Report of the U.S. GLOBEC Northeast Pacific Scientific Investigator's Meeting, November 13 - 16, 2001. U.S. GLOBEC, Global Ocean Ecosystems Dynamics. A Component of the U.S. Global Change Research Program.

Batchelder, H.P., and Strub, P.T. 2000. Report of the U.S. GLOBEC Northeast Pacific California Current Scientific Investigator's Meeting, November 12 - 14, 2000. U.S. GLOBEC, Global Ocean Ecosystems Dynamics. A Component of the U.S. Global Change Research Program.

Batten, S.D., and Welch, D.W. 2002. Large scale interannual changes in the open ocean zooplankton community of the NE Pacific. Proceedings, American Society of Limnologists and Oceanographers Summer Meeting, June 10-14, 2002, Victoria, BC.

BC Ministry of Water, Land and Air Protection, C-CIARN-BC, University of Northern BC. 2003 Adapting to Climate Change in Northern British Columbia. Workshop Proceedings, February 20, 2003, Prince George, B.C. 67pp.

BC Ministry of Water, Land and Air Protection. 2002. Impacts of Climate Change in British Columbia. BC Ministry of Water, Land and Air Protection. Victoria, BC.

BC Ministry of Water, Land and Air Protection. 2002. Indicators of Climate Change for British Columbia 2002. BC Ministry of Water, Land and Air Protection. Victoria, BC.

Beamish, R.J. 1999. Why a strategy for managing salmon in a changing climate is urgently needed. pp 14-16 in Conference: climate change and salmon stocks, Vancouver, BC, October 27, 1999. Pacific Fisheries Resource Conservation Council.

Blackbourn, D.J. 1984. Sea surface temperature and return timing in North American Pacific Salmon. pp 111-119 in K. Fresh and S. Schroeder (eds.). 1983 Northeast Pink and Chum Salmon Workshop. Orcas Island, WA, January 1983.

Blackbourn, D.J. 1991. Brood-year sea surface temperature and the subsequent freshwater survival rate of wild and enhanced stocks of North American pink, chum, and sockeye salmon. pp. 122-138 in B. White and I. Guthrie (eds.). Proc. 15th Northeast Pacific Pink and Chum Salmon Workshop. Parksville, BC, Canada, February 27 -March 1, 1991.

Blackbourn, D.J. 1993. Sea surface temperature and the subsequent freshwater survival rate of some salmon stocks: A surprising link between the climate of land and sea. pp. 23-32. In K.T. Redmond and V.L. Tharp (eds.), Proceedings of the Ninth Annual Pacific Climate (PACLIM) Workshop, April 21-24, 1992. California Department of Water Resources, Interagency Ecological Studies Program, Tech. Rep. 34.

Cohen, S., Neilsen, D., and Welbourn, R. 2004. Expanding the dialogue on climate change and water management in the Okanagan Basin, British Columbia. Final Report. January 1, 2002 to June 30, 2004. BTT Communications, Toronto, ON. 257pp.

Cohen, S. 2003. Potential Impacts of Climate Change and Why We Should Respond. Proceedings of the Climate Change in the Columbia Basin workshop, January 17-18, 2003, Cranbrook, BC. Published by Columbia Mountains Institute of Applied Ecology, Revelstoke, BC.

Cohen, S., and Avis, W. et al. 1998. Implications of climate change for the Columbia River Basin. North American Commission for Environmental Cooperation, Montreal. 56pp.

Cohen, S., Tansey, J., Langsdale, S., and Welbourn, R. 2004. Learning with Local Help: Expanding the Dialogue on Climate Change and Water Management in the Okanagan Region, British Columbia. p. 136 in Proceedings: Water and Climate change: Knowledge for Better Adaptation, Canadian Water Resources Association, June 16-18, 2004, Hyatt Regency Hotel, Montreal, QC.

Crawford, W.E., and Thomson, R.E. 1999. Sea level rise in British Columbia. Proceedings of the Canadian Coastal Conference. May 1999. Victoria, BC.

Crawford, W.R. 2004. Eastern Pacific Ocean Conference 2004. Program & Abstracts for 51st Annual Conference of Eastern Pacific Ocean, 22-25 September 2004, Dunsmuir Lodge, Sidney, BC.

Cumming, B.F., Wilson, S.E., Pienitz, R., Smol, J.P., Zeeb, B.A., Leavitt, P.R., and Heinrichs, M. 1994. Tracking climatic and other environmental changes in closed-basin lakes from Western Canada: the PISCES-II project. American Society of Limnology and Oceanography (ASLO) / North American Benthological Society (NABS) joint symposium on climatic change. Leesburg, VA.

Davis, J.A., Ross, J., Falrey, R., Roberts, C., Ichikawa, G., Negrey, J., and Crane, D. 2004. Cisnet Technical Report: Contaminant Accumulation in Forage Fish. San Francisco Estuary Institute, Regional Monitoring Program for Trace Substances. Technical Report No. 413. San Francisco, CA.

Denault C., Millar, R.G., and Lence, B.J. 2002. Climate Change and Drainage Infrastructure Capacity in an Urban Catchment. Annual Conference of the Canadian Society of Civil Engineering, Montreal, Quebec, Canada. 10pp.

Denman, K.L. 2002. The role of zooplankton and ammonium cycling in marine ecosystem responses to climate change - model approaches. Proceedings, American Society of Limnologists and Oceanographers Summer Meeting, June 10-14, 2002, Victoria, BC.

Denman, K.L., and Pena, M.A. 2000. Responses to climate change of coupled 1-D mixed layer /planktonic ecosystem models. T. Saino and M. Kusakabe (eds.), The Carbon Cycle in the North Pacific. Proceedings of the International Marine Science Symposium, 8-10 February 2000, Nagoya, Japan, Japan Marine Science Foundation, Tokyo.

Denman, K.L., Pena, M.A., and Haigh, S.P. 1998. Simulations of marine ecosystem response to climate variation with a one dimensional coupled ecosystem / mixed layer model. pp. 141-147 in Biotic Impacts of Extratropical Climate Change in the Pacific, Proceedings 'Aha Huliko 'a Hawaiian Winter Workshop, University of Hawaii at Manoa, January 25-29, 1998.

Finney, B. 2002. A long-term view on relationships between Pacific salmon abundance and climatic change. Fisheries in a Changing Climate. pp. 283-284 in N.A. McGinn (ed.). American Fisheries Society Symposium 32. Bethesda, MD.

Flannigan, M., Todd, B., Wotton, M., Stocks, B.J., Skinner, W., and Martell, D. 2000. Pacific sea surface temperatures and their relation to area burned in Canada. pp. 151-157 in Proceedings of the Third Symposium Fire and Forest Meteorology, J. 9-14, 2000, Long Beach, Calif. American Meteorological Society, Boston, MA.

Francis, R.C. 1993. Climate change and salmon production in the North Pacific Ocean. Proceedings of the Ninth Annual Pacific Climate (PACLIM) Workshop, April 21-24, 1992. pp. 33-43 in K.T. Redmond, and V.J. Tharp (eds.). California Department of Water Resources, Sacramento, CA. Interagency Ecological Study Program Technical Report 34.

Fraser, J. 2002. Indicators of climate change for British Columbia, 2002. British Columbia Ministry of Water Land and Air Protection, Victoria, BC, 48pp.

Freeland, H. 1998. The state of the N.E. Pacific Ocean January-June 1997. pp.41-43 in North Pacific Anadromous Fisheries Commission Technical Report No. 1, Workshop on Climate Change and Salmon Production. North Pacific Anadromous Fish Commission.

Green, B. 2003. Impacts of Climate Change on Columbia Basin Aquatic Ecosystems: A Forecasting Fool's Game. Proceedings of the Climate Change in the Columbia Basin workshop, January 17-18, 2003, Cranbrook, BC. Published by Columbia Mountains Institute of Applied Ecology, Revelstoke, BC.

Gregory-Eaves, I.S., Finney, B.P., Douglas, M.S., and Smol, J. 2002. Long-term population dynamics of sockeye salmon from south-central Alaska: A paleolimnological study. Proceedings, American Society of Limnologists and Oceanographers Summer Meeting, June 10-14, 2002, Victoria, BC.

Hamlet, A.F. 2003. Effects of climate change on Pacific Northwest rivers. Proceedings of the Climate Change in the Columbia Basin workshop, January 17-18, 2003, Cranbrook, BC. Published by Columbia Mountains Institute of Applied Ecology, Revelstoke, BC.

Hamlet, A.F., Lettenmaier, D.P., and Nijssen, B. 1998. Effects of climate change on water resources management in the Columbia Basin, Year Three Progress Report JISAO Climate Impacts Group, University of Washington, Seattle.

Healey, M. 2002. Global change, bioenergetics, and the future of Pacific salmon. Proceedings, American Society of Limnologists and Oceanographers Summer Meeting, June 10-14, 2002, Victoria, BC.

Hengeveld, H.G. 2002. Global Climate Change: What's Happening and What Can We Expect? Canadian Conference for Fisheries Researchers / Society of Canadian Limnologists CCCFR/SCL Annual Meeting, 3-5 Jan. 2002. Empire Landmark Hotel, Vancouver, BC.

Kawasaki, T. 2001. Climate change, regime shift and stock management. Presented to International Commemorative Symposium of the 70th Anniversary of the Japanese Society of Fisheries Science, Yokohama, Japan, October 1-5, 2001, 6pp.

Knapp, G., Livingtone, P., and Tyler, A. 1999. Human Effects of Climate-related Changes in Alaska Commercial Fisheries. pp. 1-20 in G. Weller andP.A. Anderson (eds.). Assessing the Consequences of Climate Change for Alaska and the Bering Sea Region: Proceedings of a Workshop at the University of Alaska Fairbanks. 29–30 October 1998. Center for Global Change and Arctic System Research, University of Alaska Fairbanks

Mackas, D., Tsurumi, M., Whitney, F., and Wong, C.S. 2002. Pteropods and eddies in the Alaska Gyre: A linkage between climate forcing, zooplankton population response, and vertical flux of carbon. Proceedings, American Society of Limnologists and Oceanographers Summer Meeting, June 10-14, 2002, Victoria, BC.

Mantua, N. 1998. The Pacific Decadal Oscillation and Pacific Salmon Production. pp. 1-4 in G. Holloway, P. Muller, D. Henderson (eds.). Proceedings 'Aha Huliko'a Hawaiian Winter Workshop, Biotic Impacts of Extratropical Climate Variability in the Pacific, University of Hawaii at Manoa, January 25-29, 1998.

Mantua, N.J. 2002. A tutorial on bridging gaps between large scale climate and local environmental processes. Proceedings, American Society of Limnologists and Oceanographers Summer Meeting, June 10-14, 2002, Victoria, BC.

Marchesiello, P., and McWilliams, J.C. 2002. Equilibrium physical and ecosystem dynamics of the California Current system. US GLOBEC at the Ocean Sciences 2002 Meeting, American Society of Limnology & Oceanography, American Geophysical Union, 11th Biennial Joint Ocean Sciences Meeting, 11-15 February, 2002, Honolulu, HI.

Meehan, R. Byrd, V., Divoky, G., and Piatt, J. 1999. Implications of Climate Change for Alaska's Seabirds. Assessing the Consequences of Climate Change for Alaska and the Bering Sea Region: Proceedings of a Workshop at the University of Alaska Fairbanks. 29–30 October 1998. Center for Global Change and Arctic System Research, University of Alaska Fairbanks.

Mote, P. 2003. El Niño and the Pacific Decadal Oscillation. Proceedings of the Climate Change in the Columbia Basin workshop, January 17-18, 2003, Cranbrook, BC. Published by Columbia Mountains Institute of Applied Ecology, Revelstoke, BC.

Mote, P. 2003. Twenty Thousand Years of Climate Change in the Columbia Basin: What's New This Time? Proceedings of the Climate Change in the Columbia Basin workshop, January 17-18, 2003, Cranbrook, BC. Published by Columbia Mountains Institute of Applied Ecology, Revelstoke, BC.

Myers, K. (ed.) 1998. Technical Report: Workshop on Climate Change and Salmon Production. Workshop on Climate Change and Salmon Production. Vancouver, March 26-27, 1998. North Pacific Anadromous Fish Commission. Vancouver, BC.

Parlee, K. 2004. The Highs & Lows of Water Level: The Vulnerability of Coastal Communities to Water Level Change. Proceedings from C-CIARN Coastal Zone Workshop 2003, Feb 9-10, Lonsdale Quay Hotel, North Vancouver, B.C. C-CIARN Coastal Zone Report 04-1, 16pp.

Schindler, D.W., Scheuerell, M.D., Moore, J.W., Hilborn, R., Quinn, T.P., Leavitt, P.R., and St. Louis, V.L. 2002. Climate, marine-derived nutrients, and fisheries as drivers of Pacific salmon population dynamics. Proceedings, American Society of Limnologists and Oceanographers Summer Meeting, June 10-14, 2002, Victoria, BC.

Schwab, J.W. 1995. Landslides on the British Columbia north coast: processes, rates, climate events, and landscape change (abstract). Proceedings of the Pacific Division, American Association the Advancement of Science, June 1995. Edited by: A. Eleviton and M.L. Aldrich. University of British Columbia. 14: PP. 58.

Shaw, J., Taylor, R.B., and Forbes, D.L. 1997. Impact of sea-level rise on the coasts of Canada. p. 245-252 in R.W. Shaw (ed.). Climate Change and Climate Variability in Atlantic Canada. Workshop Proceedings, Halifax, Nova Scotia. 3-6 Dec. 1996.

Solomon, S.I., Beran, M., and Hogg, W. (Eds.) 1987. International symposium on the influence of climate change and climatic variability on the hydrologic regime and water resources, Vancouver, B.C., 9-22 August 1987. Proceedings. International Association of Hydrological Sciences, publication no. 168, 640pp.

Solomon, S., and Harper, J. 2001. Proceedings of a Workshop on Coastal Impacts and Adaptation Related to Climate Change: the C-CIARN Coastal Node. Coastal and Ocean Resources, Inc. 107-9865 W Saanich Rd., Sidney, BC V8L 5Y8. Workshop held in Dartmouth, NS March 2001.

Sweetman, J.N., Finney, B.P., and Smol, J.P. 2002. A paleolimnological assessment of the impacts of climate on freshwater ecosystems in the North Pacific with implication for salmon nursery lakes. Proceedings, American Society of Limnologists and Oceanographers Summer Meeting, June 10-14, 2002, Victoria, BC.

Taylor, B. 2004. Climate trends in BC, Canada and the world. Proceedings of the 16th International Conference, Society for Ecological Restoration, Aug. 24-26, 2004, Victoria, Canada.

Vox Communications. 2003. Climate change in the Columbia Basin. Proceedings17-18 January, Cranbrook, BC. Published by Columbia Mountains Institute of Applied Ecology, Revelstoke, BC.

Welch, D.W., Trudel, M., and Zamon, J. 2002. Latitudinal and temporal gradients in ocean productivity and survival of salmon. Proceedings, American Society of Limnologists and Oceanographers Summer Meeting, June 10-14, 2002, Victoria, BC.

Welch, D.W., Ward, B.R., Smith, B.D., and Eveson, J.P. 1998. Influence of the 1990 Ocean Climate Shift on British Columbia Steelhead (*Oncorhynchus mykiss*) and Coho (*O. kisutch*) Populations. pp. 77-87 in G. Holloway, P. Muller, D. Henderson (eds.). Proceedings 'Aha Huliko'a Hawaiian Winter Workshop, Biotic Impacts of Extratropical Climate Variability in the Pacific, University of Hawaii at Manoa, January 25-29, 1998.

Whitfield, P.H., and Taylor, E. 1998. Apparent recent changes in hydrology and climate of coastal British Columbia. pp. 22-29 in Mountains to sea: Human interaction with the hydrologic cycle. Proceedings of the Canadian Water Resources Association 51st Annual Conference, Victoria, BC.

Whitfield, P.H. 2004. Recent and Future Climate Driven Variations in Low Flows in South Central British Columbia. p. 111 in Proceedings: Water and Climate change: Knowledge for Better Adaptation, Canadian Water Resources Association, June 16-18, 2004, Hyatt Regency Hotel, Montreal, QC.

Zamon, J.E., and Welch, D.W. 2002. Shift happened: Changes in plankton community composition on the British Columbia continental shelf during 1998-1999. Proceedings, American Society of Limnologists and Oceanographers Summer Meeting, June 10-14, 2002, Victoria, BC.

THESES

Gavin, D.G. 2000. Holocene fire history of a coastal temperate rain forest, Vancouver Island, British Columbia, Canada. Ph.D. Dissertation, University of Washington, Seattle, WA, 133pp.

Ianson, D.C. 2001. A carbon and nitrogen flux model in a coastal upwelling region. Ph.D. Dissertation, University of British Columbia, Vancouver, BC, 171pp.

Souch, C. 1990. Lake sediments as records of palaeoenvironmental change: Kwoiek Creek, Coast Mountains, British Columbia. Ph.D. Dissertation, University of British Columbia, Vancouver, BC.